Drive Air

Dental hoses manufacturing



CATALOGUE 2024

INDICE

HOSE for TURBINE 3-HOLE CONNECTOR (BORDEN)	6
HOSE for TURBINE 3-HOLE CONNECTOR (BORDEN) suitable for Anthos, Stern Weber and Castellini dental units	7
HOSE for TURBINE 4-HOLE CONNECTOR (MIDWEST) – with ends free	8
HOSE for TURBINE 4-HOLE CONNECTOR and SEPARATED AIR RETURN TUBING - (MIDWEST) – ends free – WITH WATERSPRAY ADJUSTMENT	9
HOSE for TURBINE 4-HOLE CONNECTOR (MIDWEST) suitable for Kavo dental units	10
HOSE for TURBINE 4-HOLE CONNECTOR (MIDWEST) suitable for Anthos, Stern Weber and Castellini dental units	11
HOSE for TURBINE 4-HOLE CONNECTOR and ELECTRIC SOCKETS (MIDWEST F.O.) – with ends free	12
HOSE for TURBINE 4-HOLE CONNECTOR, SEPARATED AIR RETURN TUBING and ELECTRIC SOCKET - (MIDWEST F.O.) with INTEGRAYED WATERSPRAY ADJUSTMENT – ends free	13
HOSE for TURBINE 4-HOLE CONNECTOR and ELECTRIC SOCKETS ((MIDWEST F.O.) – with ends free – with WATERSPRAY ADJUSTMENT	14
MULTIPURPOSE HOSE for TURBINE MIDWEST F.O., BIEN AIR MC3 MICROMOTOR, NSK Ti Max M40 MICROMOTOR	15
HOSE for TURBINE 4-HOLE CONNECTOR and ELECTRIC SOCKETS (MIDWEST F.O.) suitable for Kavo dental units	16
HOSE for TURBINE 4-HOLE CONNECTOR and ELECTRIC SOCKETS (MIDWEST F.O.) suitable for Anthos, Stern Weber and Castellini dental units	17
HOSE for TURBINE 4-HOLE CONNECTOR and ELECTRIC SOCKETS (MIDWEST F.O.) suitable for Sirona dental units	18
HOSE for TURBINE 4-HOLE CONNECTOR and ELECTRIC SOCKETS (MIDWEST F.O.) suitable for Planmeca dental units	19
HOSE for BIEN AIR MC3 MICROMOTOR and NSK Ti Max M40 MICROMOTOR	20
HOSE for BIEN AIR MC3 MICROMOTOR and NSK Ti Max M40 MICROMOTOR – with SWIVEL 400° CONNECTION	21
HOSE for BIEN AIR MC3 MICROMOTOR and NSK Ti Max M40 MICROMOTOR – with WATERSPRAY ADJUSTMENT	22
HOSE for BIEN AIR MC3 MICROMOTOR and NSK Ti Max M40 MICROMOTOR suitable for Kavo dental units	23
HOSE for BIEN AIR MC3 MICROMOTOR and NSK Ti Max M40 MICROMOTOR suitable for Anthos, Stern Weber and Castellini dental units	24
HOSE for BIEN AIR MC3 MICROMOTOR and NSK Ti Max M40 MICROMOTOR suitable for Sirona dental units	25
HOSE for BIEN AIR MC3 MICROMOTOR and NSK Ti Max M40 MICROMOTOR suitable for Planmeca dental units	26
HOSE for BIEN AIR MC2 IR and ISOLITE 300 MICROMOTORS	27
HOSE for BIEN AIR MC2 IR and ISOLITE 300 MICROMOTORS with SWIVEL 400° CONNECTION and WATERSPRAY ADJUSTMENT	29
HOSE for BIEN AIR MC2 IR and ISOLITE 300 MICROMOTORS suitable for Kavo dental units	31
HOSE for BIEN AIR MC2 IR and ISOLITE 300 MICROMOTORS suitable for Anthos, Stern Weber and Castellini dental units	32
HOSE for BIEN AIR MC2 IR and ISOLITE 300 MICROMOTORS suitable for Sirona dental units	33
HOSE for BIEN AIR MC2 IR and ISOLITE 300 MICROMOTORS suitable for Planmeca dental units	34
HOSE for BIEN AIR MCX MICROMOTOR	35
HOSE for CHIRANA MEDICAL P2ED 460 MICROMOTOR	36

Drive Air s.r.l. and its products are in no way connected with the following companies and brands: Kavo, Anthos, Stern Weber, Castellini,Planmeca, Sirona, Bien Air, NSK, Faro, Chirana Medical, EMS, Satelec, Mectron, Luzzani, Cattani, W&H

INDICE

HOSE for NSK TIM40 (EL400) MICROMOTOR	37
HOSE for NSK NBX CDB 01260122 MICROMOTOR	38
HOSE for KAVO K190 –K196-K200, CHIRANA MEDICAL CH660 L and MK DENT EM1190K MICROMOTORS	39
HOSE for KAVO K190 –K196-K200, CHIRANA MEDICAL CH660 L and MK DENT EM1190K MICROMOTORS suitable for Kavo dental units	40
HOSE for KAVO K190 –K196-K200, CHIRANA MEDICAL CH660 L and MK DENT EM1190K MICROMOTORS suitable for Sirona dental units	41
HOSE for KAVO K190 –K196-K200, CHIRANA MEDICAL CH660 L and MK DENT EM1190K MICROMOTORS suitable for Planmeca dental units	42
HOSE for KAVO K192-K201 MICROMOTORS	43
HOSE for KAVO K192-K201 MICROMOTORS suitable for Kavo dental units	44
HOSE for KAVO KL700 SERIES (KL700-KL701-KL702-KL703)	45
HOSE for KAVO KL700 SERIES (KL700-KL701-KL702-KL703) suitable for Kavo dental units	46
HOSE for SIRONA SL MICROMOTOR	47
HOSE for SIRONA SL MICROMOTOR suitable for Kavo dental units	48
HOSE for SIRONA SL MICROMOTOR suitable for Sirona dental units	49
HOSE for SIRONA SL MICROMOTOR suitable for Planmeca dental units	50
HOSE for SIRONA BL ISO C - Apex (Green connector) MICROMOTOR	51
HOSE for SIRONA BL ISO C - Apex (Green connector) MICROMOTOR suitable for Sirona dental units	52
HOSE for SIRONA BL - Apex (Blu connector) MICROMOTOR	53
HOSE for SIRONA BL - Apex (Blu connector) MICROMOTOR suitable for Sirona dental units	54
HOSE for SIRONA BL ISO - Apex (Black connector) MICROMOTOR	55
HOSE for SIRONA BL ISO - Apex (Black connector) MICROMOTOR suitable for Sirona dental units	56
HOSE for DENSIM DX MICROMOTOR	57
HOSE for: Stern Weber iXS4 - Anthos iMMs - Castellini Implantor LED MICROMOTORS	58
HOSE for: Stern Weber iXS4 - Anthos iMMs - Castellini Implantor LED MICROMOTORS suitable for Stern Weber, Anthos, Castellini units	59
HOSE for: Stern Weber iXR3L - Anthos iMMr - Castellini HANDY POWER MICROMOTORS	60
HOSE for: Stern Weber iXR3L - Anthos iMMr - Castellini HANDY POWER MICROMOTORS suitable for Stern Weber, Anthos, Castellini units	61
HOSE for EMS PIEZON with no light (EN-041, EN-046, EM-028, EM-060) SCALER	62
HOSE for EMS PIEZON with no light (EN-041, EN-046) SCALER suitable for Kavo dental units	63
HOSE for EMS PIEZON with no light (EN-041, EN-046) SCALER suitable for Stern Weber, Anthos, Castellini dental units	64
HOSE for EMS PIEZON with no light (EN-041, EN-046) SCALER suitable for Planmeca dental units	65
HOSE for EMS PIEZON with no light (EN-041, EN-046) SCALER suitable for Sirona dental units	66

INDICE

HOSE for EMS PIEZON LED (EN-060, EN-061) SCALER with light	67
HOSE for EMS PIEZON LED (EN-060, EN-061) SCALER with light suitable for Kavo dental units	68
HOSE for EMS PIEZON LED (EN-060, EN-061) SCALER with light suitable for Anthos, Stern Weber, Castellini dental units	69
HOSE for EMS PIEZON LED (EN-060, EN-061) SCALER with light suitable for Planmeca dental units	70
HOSE for EMS PIEZON LED (EN-060, EN-061) SCALER with light suitable for Sirona dental units	71
HOSE for SATELEC / ACTEON NEWTRON SCALER with no light	73
HOSE for SATELEC / ACTEON NEWTRON SCALER with no light suitable for Kavo dental units	74
HOSE for SATELEC / ACTEON NEWTRON SCALER with no light suitable for Anthos, Stern Weber, Castellini dental units	75
HOSE for SATELEC / ACTEON NEWTRON SCALER with no light suitable for Planmeca dental units	76
HOSE for SATELEC / ACTEON NEWTRON LED SCALER with light	77
HOSE for SATELEC / ACTEON NEWTRON LED SCALER with light suitable for Kavo dental units	78
HOSE for SATELEC / ACTEON NEWTRON LED SCALER with light suitable for Anthos, Stern Weber, Castellini dental units	79
HOSE for SATELEC / ACTEON NEWTRON LED SCALER with light suitable for Planmeca dental units	80
HOSE for MECTRON SCALER with no light	81
HOSE for: Stern Weber SC-A2, SC-A3, Anthos u-PZ6, u-PZ7, Castellini Piezosteril 6, Piezolight 6 SCALERS	82
HOSE for: Stern Weber SC-A2, SC-A3, Anthos u-PZ6, u-PZ7, Castellini Piezosteril 6, Piezolight 6 SCALERS suitable for Anthos, Stern Weber, Castellini dental units	83
HOSE for MECTRON STARLIGHT S T-LED LAMP	84
HOSE for MECTRON STARLIGHT S T-LED LAMP suitable for Planmeca dental units	85
3F/6F SYRINGES and HOSE for 3F SYRINGES	86
3F/6F SYRINGES and HOSE for 3F SYRINGES suitable for Kavo dental units	87
3F/6F SYRINGES and HOSE for 3F SYRINGES suitable for Anthos, Stern Weber, Castellini dental units	88
3F/6F SYRINGES and HOSE for 3F SYRINGES suitable for Planmeca dental units	89
3F/6F SYRINGES and HOSE for 3F SYRINGES suitable for Sirona dental units	90
SPARE PARTS for LUZZANI SYRINGES	91
EXTRA-FLEXIBLE SUCTION HOSE, INSIDE and OUTSIDE CORRUGATED	92
DOUBLE WALLED FLEXIBLE SUCTION HOSE,with PVC HELIX INSIDE, INSIDE and OUTSIDE SMOOTH	93
HANDLES for SUCTION HOSES	94
SILICONE SHEATH	95
CHIP AIR, WATERSPRAY, DRIVE AIR and EXHAUST AIR TUBING, made of TPU SUITABLE for FOOD CONTACT APPILICATIONS	96
SPARE PARTS and ACCESSORIES for HOSE	97
LED BULBS for DENTAL INSTRUMENTS	98
XENON BULBS for DENTAL INSTRUMENTS	99

SYMBOLS and COLORS	
	HOSE for INSTRUMENT with LIGHT
	HOSE with INTEGRATED WATERSPRAY ADJUSTMENT
	HOSE with 400° SWIVEL CONNECTION
	LIGHT GREY RAL9002 (similar to white)
	MIDDLE GREY RAL7035
	ITALIAN GREY RAL7038
	SURF ADEC (brown)
	BLACK

Drive Air s.r.l. and its products are in no way connected with the following companies and brands: Kavo, Anthos, Stern Weber, Castellini,Planmeca, Sirona, Bien Air, NSK, Faro, Chirana Medical, EMS, Satelec, Mectron, Luzzani, Cattani, W&H

HOSE for TURBINE 3-HOLE CONNECTOR (BORDEN)

With ends free



Silicone Sheath, outer diameter: 10mm

Compatibility: all dental units installing free ends hoses

Sheath color	Sheath Length	Reference
RAL 9002 (nearly White)	1600 mm	3H.STD.LG.1
RAL 7035 (Middle Grey)	1600 mm	3H.STD.MG.1
RAL 7038 (Italian grey)	1600 mm	3H.STD.GR.1
SURF ADEC (Brown)	1600 mm	3H.STD.BR.1
NERO	1600 mm	3H.STD.BL.1
For Special lengths		
In the reference, change STD with the required length (in cm)		
ES. 3H.**200**.GR.1, grey Hose, Sheath length 2 meters		

HOSE for TURBINE 3-HOLE CONN. (BORDEN)

Suitable for Anthos, Stern Weber e Castellini dental units

Grey RAL7038 silicone sheath, outer diameter: 10mm

Suitable for			Total Length	Reference
anthos	A3, A5, A7, A6, A7, A9, L6, L9, R7	CONTINENTAL VERSION (hose from the top)	1280 mm	3H.SCF.GR.1
STERN WEBER	S200, S250, S280TRc,S300, S380TRc, 320TR, S220TR, S320TR			
CASTELLINI	Skema 5, 6, 8			
anthos	A3, A5, A7, A6, A7, A9, L6, L9, R7	INTERNATIONAL VERSION (hanging hose)	1430 mm	3H.SCF.GR.1L
STERN WEBER	S200, S250, S280TRc,S300, S380TRc, 320TR, S220TR, S320TR			
CASTELLINI	Skema 5, 6, 8			

Other available colors: LG RAL 9002 and MG RAL7035

Please notice that a return/taking back for LG or MG is not possible.
Thank you for your understanding

HOSE for TURBINE 4-HOLE CONNECTOR and SEPARATED AIR RETURN TUBING - (MIDWEST) – ends free

Mod.1

Mod.2

Mod.3

Mod.4

Mod.5

Mod.6

Silicone Sheath, Outer diameter: 11mm – 6 different nut shape for turbine connection
Special lengths available on request - up to 2500 mm

Compatibility: all dental units installing free ends hoses

Instrument Nut	Sheath color	Sheath Length	Reference
Mod. 1	RAL 9002 Nearly white	1600 mm	4H.STD.LG.1
Mod. 2			4H.STD.LG.2
Mod. 3			4H.STD.LG.3
Mod. 4			4H.STD.LG.4
Mod. 5			4H.STD.LG.5
Mod. 6			4H.STD.LG.6
Mod. 1	RAL 7035 Middle grey	1600 mm	4H.STD.MG.1
Mod. 2			4H.STD.MG.2
Mod. 3			4H.STD.MG.3
Mod. 4			4H.STD.MG.4
Mod. 5			4H.STD.MG.5
Mod. 6			4H.STD.MG.6
Mod. 1	RAL 7038 Italian grey	1600 mm	4H.STD.GR.1
Mod. 2			4H.STD.GR.2
Mod. 3			4H.STD.GR.3
Mod. 4			4H.STD.GR.4
Mod. 5			4H.STD.GR.5
Mod. 6			4H.STD.GR.6

Instrument Nut	Sheath color	Sheath Length	Reference
Mod. 1	SURF ADEC Brown	1600 mm	4H.STD.BR.1
Mod. 2			4H.STD.BR.2
Mod. 3			4H.STD.BR.3
Mod. 4			4H.STD.LG.4
Mod. 5			4H.STD.BR.5
Mod. 6			4H.STD.BR.6
Mod. 1	BLACK	1600 mm	4H.STD.BL.1
Mod. 2			4H.STD.BL.2
Mod. 3			4H.STD.BL.3
Mod. 4			4H.STD.BL.4
Mod. 5			4H.STD.BL.5
Mod. 6			4H.STD.BL.6

For Special lengths

In the reference, change STD with the required length (in cm)

ES. 4H.**200**.GR.1, grey Hose, with nut mod.1,
Sheath length 2 meters

HOSE for TURBINE 4-HOLE CONNECTOR and SEPARATED AIR RETURN TUBING - (MIDWEST) – ends free – WITH WATERSPRAY ADJUSTMENT

Silicone Sheath, Outer diameter: 11mm
Available color tap: Black or Silver
Special lengths available on request - up to 2500 mm

Compatibility: all dental units installing free ends hoses and waterspray adjustment on the hose is required

Tap color	Sheath color	Sheath Length	Reference
Black	RAL 9002 (White)	1600 mm	4R.STD.LG.1
Silver			4R.STD.LG.2
Black	RAL 7035 Middle grey	1600 mm	4R.STD.MG.1
Silver			4R.STD.MG.2
Black	RAL 7038 Italian grey	1600 mm	4R.STD.GR.1
Silver			4R.STD.GR.2
Black	SURF ADEC Brown	1600 mm	4R.STD.BR.1
Silver			4R.STD.BR.2
Black	BLACK	1600 mm	4R.STD.BL.1
Silver			4R.STD.BL.2

For Special lengths
In the reference, change STD with the required length (in cm)
ES. 6R.**200**.GR.1, grey Hose, with nut mod.1, Sheath length 2 meters
Please notice that a return/taking back for BR color or BL color is not possible. Thank you for your understanding

HOSE for TURBINE 4-HOLE CONNECTOR (MIDWEST)

Suitable for Kavo dental units

Silicone Sheath, outer diameter: 11 mm

Turbine nut available in silver or Black aluminium

	Total Length	Suitable for unit	Nut Type	Sheath color				Reference
KAVO Dental Excellence	STANDARD VERSION L. 1250 mm	1057, 1058, 1060, 1062, 1063, 1065, 1080	SILVER	RAL9002	x	x	x	4H.SKV.LG.1
				RAL7035	x	x	x	4H.SKV.MG.1
			BLACK	RAL9002	x	x	x	4H.SKV.LG.2
				RAL7035	x	x	x	4H.SKV.MG.2
		E30S, E30T, E50S, E70S (no magnetic sensor)	SILVER	RAL9002	x	x	x	4H.SKV.LG.3
				RAL7035	x	x	x	4H.SKV.MG.3
			BLACK	RAL9002	x	x	x	4H.SKV.LG.4
				RAL7035	x	x	x	4H.SKV.MG.4
		E50T, E70T, E80T (with reed contact)	SILVER	RAL9002	x	x	x	4H.SKV.LG.5
				RAL7035	x	x	x	4H.SKV.MG.5
	LONGER VERSION L.1400 mm	Add "L" at the end of the reference. In exemple: 4H.SKV.LG.1L (hose with Silver nut, color RAL 9002, Length: 1400 mm)						

HOSE for TURBINE 4-HOLE CONNECTOR (MIDWEST)

Suitable for Anthos, Stern Weber, Castellini dental units

Grey RAL7038 Silicone sheath
Outer diameter: 11 mm

Suitable for						Total Length	Reference
anthos	A3, A5, A7, A6, A7, A9, L6, L9, R7	CONTINENTAL VERSION (hose from the top)	X	X	X	1280 mm	4H.SCF.GR.1
STERN WEBER	S200, S250, S280TRc,S300, S380TRc, 320TR, S220TR, S320TR						
CASTELLINI	Skema 5, 6, 8						
anthos	A3, A5, A7, A6, A7, A9, L6, L9, R7	INTERNATIONAL VERSION (hanging hose)	X	X	X	1430 mm	4H.SCF.GR.1L
STERN WEBER	S200, S250, S280TRc,S300, S380TRc, 320TR, S220TR, S320TR						
CASTELLINI	Skema 5, 6, 8						

Other available colors: LG RAL 9002 and MG RAL7035

Please notice that a return/taking back for LG or MG is not possible.
Thank you for your understanding

HOSE for TURBINE 4-HOLE CONNECTOR, SEPARATED AIR RETURN TUBING and ELECTRIC SOCKET - (MIDWEST F.O.) – ends free



Mod.1

Mod.2

Mod.3

Mod.4

Mod.5

Mod.6

Silicone Sheath, Outer diameter: 11mm – 6 different nut shape for turbine connection
Special lengths available on request - up to 2500 mm

Compatibility: all dental units installing free ends hoses

Instrument Nut	Sheath color	Sheath Length	Reference
Mod. 1	RAL 9002 Nearly white	1600 mm	6H.STD.LG.1
Mod. 2			6H.STD.LG.2
Mod. 3			6H.STD.LG.3
Mod. 4			6H.STD.LG.4
Mod. 5			6H.STD.LG.5
Mod. 6			6H.STD.LG.6
Mod. 1	RAL 7035 Middle grey	1600 mm	6H.STD.MG.1
Mod. 2			6H.STD.MG.2
Mod. 3			6H.STD.MG.3
Mod. 4			6H.STD.MG.4
Mod. 5			6H.STD.MG.5
Mod. 6			6H.STD.MG.6
Mod. 1	RAL 7038 Italian grey	1600 mm	6H.STD.GR.1
Mod. 2			6H.STD.GR.2
Mod. 3			6H.STD.GR.3
Mod. 4			6H.STD.GR.4
Mod. 5			6H.STD.GR.5
Mod. 6			6H.STD.GR.6

Instrument Nut	Sheath color	Sheath Length	Reference
Mod. 1	SURF ADEC Brown	1600 mm	6H.STD.BR.1
Mod. 2			6H.STD.BR.2
Mod. 3			6H.STD.BR.3
Mod. 4			6H.STD.LG.4
Mod. 5			6H.STD.BR.5
Mod. 6			6H.STD.BR.6
Mod. 1	BLACK	1600 mm	6H.STD.BL.1
Mod. 2			6H.STD.BL.2
Mod. 3			6H.STD.BL.3
Mod. 4			6H.STD.BL.4
Mod. 5			6H.STD.BL.5
Mod. 6			6H.STD.BL.6

For Multipurpose hose Turbine+MC3 see pag, 13

For Special lengths

In the reference, change STD with the required length (in cm)

ES. 6H.**200**.GR.1, grey Hose, with nut mod.1, Sheath length 2 meters

HOSE for TURBINE 4-HOLE CONNECTOR, SEPARATED AIR RETURN TUBING and ELECTRIC SOCKET - (MIDWEST F.O.) with INTEGRAYED WATERSPRAY ADJUSTMENT – ends free



Guaina in silicone, diametro esterno: 11mm
Disponibile lunghezza fino a 2500 mm su richiesta

Compatibility: all dental units installing free ends hoses

Sheath color	Length	Reference
RAL 9002 (White)	1600 mm	5H.STD.LG.1
RAL 7035 Middle grey	1600 mm	5H.STD.MG.1
RAL 7038 Italian grey	1600 mm	5H.STD.GR.1
SURF ADEC Brown	1600 mm	5H.STD.BR.1
BLACK	1600 mm	5H.STD.BL.1

For Special lengths
In the reference, change STD with the required length (in cm)
ES. 5H.**200**.GR.1, grey Hose, Sheath length 2 meters
Please notice that a return/taking back for BR color or BL color is not possible. Thank you for your understanding

HOSE for TURBINE 4-HOLE CONNECTOR, SEPARATED AIR RETURN TUBING and ELECTRIC SOCKET - (MIDWEST F.O.) with INTEGRAYED WATERSPRAY ADJUSTMENT – ends free



Silicone Sheath, Outer diameter: 11mm
Available color tap: Black or Silver
Special lengths available on request - up to 2500 mm

Compatibility: all dental units installing free ends hoses and waterspray adjustment on the hose is required

Tap color	Sheath color	Sheath Length	Reference
Black	RAL 9002 (White)	1600 mm	6R.STD.LG.1
Silver			6R.STD.LG.2
Black	RAL 7035 Middle grey	1600 mm	6R.STD.MG.1
Silver			6R.STD.MG.2
Black	RAL 7038 Italian grey	1600 mm	6R.STD.GR.1
Silver			6R.STD.GR.2
Black	SURF ADEC Brown	1600 mm	6R.STD.BR.1
Silver			6R.STD.BR.2
Black	BLACK	1600 mm	6R.STD.BL.1
Silver			6R.STD.BL.2

For Special lengths
In the reference, change STD with the required length (in cm)
ES. 6R.**200**.GR.1, grey Hose, with nut mod.1, Sheath length 2 meters
Please notice that a return/taking back for BR color or BL color is not possible. Thank you for your understanding

MULTIPURPOSE HOSE for TURBINE A 4-HOLE MIDWEST F.O., BIEN AIR MC3 MICROMOTOR, NSK Ti Max M40 MICROMOTOR



Silicone sheath, outer diameter: 11mm
Special lenghts available on request up to 2500 mm

Adapter included

Compatibility: all dental units installing free ends hoses

Sheath color	Total Length	Reference
RAL 9002 White	1600 mm	8P.STD.LG.1
RAL 7035 Middle grey	1600 mm	8P.STD.MG.1
RAL 7038 Italian grey	1600 mm	8P.STD.GR.1
SURF ADEC Brown	1600 mm	8P.STD.BR.1
BLACK	1600 mm	8P.STD.BL.1

For Special lengths
In the reference, change STD with the required length (in cm)
ES. 8P.**200**.GR.1, grey Hose, Sheath length 2 meters
Please notice that a return/taking back for BR color or BL color is not possible. Thank you for your understanding

HOSE for TURBINE 4-HOLE CONNECTOR and ELECTRIC SOCKET (MIDWEST F.O.)

Suitable for Kavo dental units

Silicone Sheath, outer diameter: 11 mm

Turbine nut available in silver or black aluminium

	Total Length	Suitable for unit	Nut Type	Sheath color				Reference
KAVO Dental Excellence	STANDARD VERSION L. 1250 mm	1057, 1058, 1060, 1062, 1063, 1065, 1080	SILVER	RAL9002	√	x	x	6H.SKV.LG.1
				RAL7035	√	x	x	6H.SKV.MG.1
			BLACK	RAL9002	√	x	x	6H.SKV.LG.2
				RAL7035	√	x	x	6H.SKV.MG.2
		E30S, E30T, E50S, E70S (no magnetic sensor)	SILVER	RAL9002	√	x	x	6H.SKV.LG.3
				RAL7035	√	x	x	6H.SKV.MG.3
			BLACK	RAL9002	√	x	x	6H.SKV.LG.4
				RAL7035	√	x	x	6H.SKV.MG.4
		E50T, E70T, E80T (with reed contact)	SILVER	RAL9002	√	x	x	6H.SKV.LG.5
				RAL7035	√	x	x	6H.SKV.MG.5
	LONGER VERSION L.1400 mm	Add "L" at the end of the reference. In exemple: 4H.SKV.LG.1L (hose with Silver nut, color RAL 9002, Length: 1400 mm)						

HOSE for TURBINE 4-HOLE CONNECTOR and ELECTRIC SOCKET (MIDWEST F.O.)

Suitable for Anthos, Stern Weber, Castellini dental units

Grey RAL7038 Silicone Sheath, outer diameter: 11 mm

Suitable for						Total Length	Reference
anthos	A3, A5, A7, A6, A7, A9, L6, L9, R7	CONTINENTAL VERSION (hose from the top)	√	x	x	1280 mm	6H.SCF.GR.1
STERN WEBER	S200, S250, S280TRc,S300, S380TRc, 320TR, S220TR, S320TR						
CASTELLINI	Skema 5, 6, 8						
anthos	A3, A5, A7, A6, A7, A9, L6, L9, R7	INTERNATIONAL VERSION (hanging hose)	√	x	x	1430 mm	6H.SCF.GR.1L
STERN WEBER	S200, S250, S280TRc,S300, S380TRc, 320TR, S220TR, S320TR						
CASTELLINI	Skema 5, 6, 8						

Other available colors: LG RAL 9002 and MG RAL7035

Please notice that a return/taking back for LG or MG is not possible.
Thank you for your understanding

HOSE for TURBINE 4-HOLE CONNECTOR and ELECTRIC SOCKET (MIDWEST F.O.)

Suitable for Sirona dental units

Silicone Sheath, outer diameter: 11 mm

Turbine nut made of black aluminium

Oil collector included for hose L. 1370 mm

	Total Length	Suitable for unit	Sheath color				Reference
sirona	L. 1370 mm	A1, A2, A4, A5, AC, C1, C1+, C2, C2+, C4, C4+, C5+, C8, C8+, E1, E2, E4, E5, EC, M1, M1+, Profeel®, INTEGO, INTEGO PRO, TENEO, SINIUS Similar ref. 62 16 274	RAL9002	√	o	x	6H.SSR.LG.1
			RAL7035	√	o	x	6H.SSR.MG.1
	L.1030 mm	C3, C3+, C6, E3 Similar to ref. 89 24 631	RAL9002	√	o	x	6H.SSR.LG.2
			RAL7035	√	O	x	6H.SSR.MG.2

HOSE for TURBINE 4-HOLE CONNECTOR and ELECTRIC SOCKET (MIDWEST F.O.)

Suitable for Planmeca dental units

Silicone sheath, outer diameter: 11 mm

	Total Length	Similar to	Sheath color				Reference
PLANMECA	L. 1030 mm	2600265-11	RAL9002	√	o	x	6H.PLM.LG.1
			RAL7035	√	o	x	6H.PLM.MG.1
	L. 900 mm	2600203-8	RAL9002	√	o	x	6H.PLM.LG.2
			RAL7035	√	o	x	6H.PLM.MG.2
	L. 930 mm	2600200-6	RAL9002	√	o	x	6H.PLM.LG.3
			RAL7035	√	o	x	6H.PLM.MG.3
	L. 1000 mm	2600265-11	RAL9002	√	o	x	6H.PLM.LG.4
			RAL7035	√	o	x	6H.PLM.MG.4
	L. 1560 mm	2600250-6 Hanging hose	RAL9002	√	o	x	6H.PLM.LG.5
			RAL7035	√	o	x	6H.PLM.MG.5
	L. 1000 mm	2600280-6	RAL9002	√	o	x	6H.PLM.LG.6
			RAL7035	√	o	x	6H.PLM.MG.6
	L. 1000 mm	2600296-7	RAL9002	√	o	x	6H.PLM.LG.7
			RAL7035	√	o	x	6H.PLM.MG.7
	L. 1560 mm	2600264-11 Hanging hose	RAL9002	√	o	x	6H.PLM.LG.8
			RAL7035	√	o	x	6H.PLM.MG.8

HOSE for BIEN AIR MC3 and NSK Ti Max M40 MICROMOTORS

NOT Swivel

Short nut version

Short nut + adapter

Long nut version

Compatibility: all dental units installing free ends hoses

Bien Air MC3	NSK M40	Turbine Midwest FO	Type of nut	Sheath color	L.	💡	💧	🔄	Reference
√	X	X	SHORT	RAL9002 (White)	L. 1600 mm	√	X	X	8H.STD.LG.1
				RAL7035 (Middle grey)					8H.STD.MG.1
				RAL7038 (Italian grey)					8H.STD.GR.1
				SURF ADEC (Brown)					8H.STD.BR.1
				BLACK					8H.STD.BL.1
√	X	X	LONG	RAL9002 (White)		√	X	X	8H.STD.LG.2
				RAL7035 (Middle grey)					8H.STD.MG.2
				RAL7038 (Italian grey)					8H.STD.GR.2
				SURF ADEC (Brown)					8H.STD.BR.2
				BLACK					8H.STD.BL.2
X	√	X	STANDARD	RAL9002 (White)		√	X	X	8H.NSK.LG.1
				RAL7035 (Middle grey)					8H.NSK.MG.1
				RAL7038 (Italian grey)					8H.NSK.GR.1
				SURF ADEC (Brown)					8H.NSK.BR.1
				BLACK					8H.NSK.BL.1
√	√	√	SHORT + ADAPTER	RAL9002 (White)		√	X	X	8P.STD.LG.1
				RAL7035 (Middle grey)					8P.STD.MG.1
				RAL7038 (Italian grey)					8P.STD.GR.1
				SURF ADEC (Brown)					8P.STD.BR.1
				BLACK					8P.STD.BL.1

🔄 **For swivel 400 ° version see pag.16**

💧 **For version with waterspray adjustment see pag.17**

For Special lengths

In the reference, change STD with the required length (in cm)

ES. 8H.**200**.GR.1, grey Hose, with short nut, Sheath length 2,0 meters

Please notice that a return/taking back for BR color or BL color is not possible.
Thank you for your understanding

HOSE for BIEN AIR MC3 and NSK Ti Max M40 MICROMOTORS – Swivel Connection

Silicone Sheath, outer diameter: 10 mm

Compatibility: all dental units installing free ends hoses

Bien Air MC3	NSK M40	Turbine Midwest FO	Type of nut	Sheath color	L.				Reference
√	X	X	LONG	RAL9002 (White)	L. 1600 mm	√	X	√	8S.STD.LG.1
				RAL7035 (Middle grey)					8S.STD.MG.1
				RAL7038 (Italian grey)					8S.STD.GR.1
				SURF ADEC (Brown)					8S.STD.BR.1
				BLACK					8S.STD.BL.1
√	√	X	LONG + ADAPTER	RAL9002 (White)		√	X	√	8S.NSK.LG.1
				RAL7035 (Middle grey)					8S.NSK.MG.1
				RAL7038 (Italian grey)					8S.NSK.GR.1
				SURF ADEC (Brown)					8S.NSK.BR.1
				BLACK					8S.NSK.BL.1

For NOT swivel 400 ° version see pag 18

For version with waterspray adjustment see pag 20

For Special lengths
In the reference, change STD with the required length (in cm)
ES. 8S.**200**.GR.1, grey Hose, Sheath length 2,0 meters
Please notice that a return/taking back for BR color or BL color is not possible. Thank you for your understanding

HOSE for BIEN AIR MC3 and NSK Ti Max M40 MICROMOTORS

with waterspary adjustment

Versione per solo MC3

Versione per MC3 e Ti MAX M40

Silicone sheath, outer diameter: 10 mm

Compatibility: all dental units installing free ends hoses and waterspray adjustment on the hose is required

Bien Air MC3	NSK M40	Turbine Midwest FO	Type of nut	Sheath color	L.				Reference
√	X	X	For WATERSPRAY REGULATION with BLACK TAP	RAL9002 (White)	L. 1600 mm	√	√	√	8R.STD.LG.1
				RAL7035 (Middle grey)					8R.STD.MG.1
				RAL7038 (Italian grey)					8R.STD.GR.1
				SURF ADEC (Brown)					8R.STD.BR.1
				BLACK					8R.STD.BL.1
√	√	X	For WATERSPRAY REGULATION with BLACK TAP+ ADAPTER	RAL9002 (White)		√	√	√	8R.NSK.LG.1
				RAL7035 (Middle grey)					8R.NSK.MG.1
				RAL7038 (Italian grey)					8R.NSK.GR.1
				SURF ADEC (Brown)					8R.NSK.BR.1
				BLACK					8R.NSK.BL.1

For NOT swivel 400 ° version see pag 18

For version without waterspray adjustment see pag 18

For Special lengths
In the reference, change STD with the required length (in cm)
ES. 8R.**200**.GR.1, grey Hose, Sheath length 2,0 meters
Please notice that a return/taking back for BR color or BL color is not possible. Thank you for your understanding

HOSE for Bien Air MC3 and NSK Ti Max M40 MICROMOTORS

Suitable for Kavo dental units

	Total Length	Suitable for unit	FOR Bien Air MC3	FOR NSK M40				Sheath color	Reference
KAVO Dental Excellence	L.1250 mm	1057-1060	√	X	√	X	X	RAL 9002	8H.SKV.LG.1
								RAL7035	8H.SKV.MG.1
		1058, 1062, 1063, 1065, 1066, 1080	√	X	√	X	X	RAL9002	8H.SKV.LG.2
								RAL7035	8H.SKV.MG.2
		1057-1060	√	X	√	√	X	RAL9002	8R.SKV.LG.1
								RAL7035	8R.SKV.MG.1
		1058, 1062, 1063, 1065, 1066, 1080	√	X	√	√	√	RAL9002	8R.SKV.LG.2
								RAL7035	8R.SKV.MG.2
		1057-1060	X	√	√	X	X	RAL9002	8H.SKK.LG.1
								RAL7035	8H.SKK.MG.1
		1058, 1062, 1063, 1065, 1066, 1080	X	√	√	X	X	RAL9002	8H.SKK.LG.2
								RAL7035	8H.SKK.MG.2
		1057-1060	√	√	√	√	√	RAL9002	8R.SKK.LG.1
								RAL7035	8R.SKK.MG.1
		1058, 1062, 1063, 1065, 1066, 1080	√	√	√	√	√	RAL9002	8R.SKK.LG.2
								RAL7035	8R.SKK.MG.2
	LONGER VERSION L.1400 mm	**Add "L" at the end of the reference. In exemple: 8H.SKV.LG.1L (hose for MC3 motor, without waterspray adjustment, color RAL 9002, Length: 1400 mm)**							

HOSE for Bien Air MC3 and NSK Ti Max M40 MICROMOTORS

Suitable for Anthos, Stern Weber, Castellini dental units

Suitable for			USE WITH TURBINE	USE WITH NSK M40	💡	💧	🔄	Total Length	Reference
anthos	A3, A5, A7, A6, A7, A9, L6, L9, R7	CONTINENTAL VERSION (hose from the top)	X	X	√	X	X	1280 mm	8H.SCF.GR.1
STERN WEBER	S200, S250, S280TRc,S300, S380TRc, 320TR, S220TR, S320TR	INTERNATIONAL VERSION (hanging hose)						1430 mm	8H.SCF.GR.1L
CASTELLINI	Skema 5, 6, 8								
anthos	A3, A5, A7, A6, A7, A9, L6, L9, R7	CONTINENTAL VERSION (hose from the top)	X	X	√	X	√	1280 mm	8S.SCF.GR.1
STERN WEBER	S200, S250, S280TRc,S300, S380TRc, 320TR, S220TR, S320TR	INTERNATIONAL VERSION (hanging hose)						1430 mm	8S.SCF.GR.1L
CASTELLINI	Skema 5, 6, 8								
anthos	A3, A5, A7, A6, A7, A9, L6, L9, R7	CONTINENTAL VERSION (hose from the top)	√	√	√	X	X	1280 mm	8P.SCF.GR.1
STERN WEBER	S200, S250, S280TRc,S300, S380TRc, 320TR, S220TR, S320TR	INTERNATIONAL VERSION (hanging hose)						1430 mm	8P.SCF.GR.1L
CASTELLINI	Skema 5, 6, 8								

Other available colors: LG RAL 9002 and MG RAL7035

Please notice that a return/taking back for LG or MG is not possible.
Thank you for your understanding

HOSE for Bien Air MC3 and NSK Ti Max M40 MICROMOTORS

Suitable for Sirona dental units

	Total Length	Suitable for unit	FOR Bien Air MC3	FOR NSK M40				Sheath color	Reference
sirona	1370 mm	A1, A2, A4, A5, AC, C1, C1+, C2, C2+, C4, M1 , C8, C8+	√	X	√	X	X	RAL 9002	8H.SSR.LG.1
								RAL7035	8H.SSR.MG.1
	1030 mm	C3, C3+, C6, E3	√	X	√	X	X	RAL9002	8H.SSR.LG.2
								RAL7035	8H.SSR.MG.2
	1370 mm	A1, A2, A4, A5, AC, C1, C1+, C2, C2+, C4, M1 , C8, C8+	√	X	√	√	√	RAL9002	8R.SSR.LG.1
								RAL7035	8R.SSR.MG.1
	1030 mm	C3, C3+, C6, E3	√	X	√	√	√	RAL9002	8R.SSR.LG.2
								RAL7035	8R.SSR.MG.2
	1370 mm	A1, A2, A4, A5, AC, C1, C1+, C2, C2+, C4, M1 , C8, C8+	X	√	√	X	X	RAL9002	8H.SSK.LG.1
								RAL7035	8H.SSK.MG.1
	1370 mm	A1, A2, A4, A5, AC, C1, C1+, C2, C2+, C4, M1 , C8, C8+	√	√	√	√	√	RAL9002	8R.SKK.LG.2
								RAL7035	8R.SKK.MG.2

HOSE for Bien Air MC3 and NSK Ti Max M40 MICROMOTORS

Suitable for Planmeca dental units

	Total Length	Suitable for	Sheath color	USE WITH TURBINE				Reference
PLANMECA	L. 1000 mm	10044908-1	RAL9002	X	√	X	x	8H.PLM.LG.1
			RAL7035	X	√	X	x	8H.PLM.MG.1
	L. 1000 mm	10044908-1	RAL9002	X	√	X	√	8S.PLM.LG.1
			RAL7035	X	√	X	√	8S.PLM.MG.1
	L. 1560 mm	Dental unit with hangin hose	RAL9002	X	√	X	√	8S.PLM.LG.3
			RAL7035	X	√	X	√	8S.PLM.MG.3
	L. 980 mm	10044909-1	RAL9002	√	√	X	x	8P.PLM.LG.1
			RAL7035	√	√	X	x	8P.PLM.MG.1
	L. 900 mm	Old Prostyle Compact	RAL9002	√	√	X	x	8P.PLM.LG.2
			RAL7035	√	√	X	x	8P.PLM.MG.2
	L. 1560 mm	Dental unit with hanging hose	RAL9002	√	√	X	x	8P.PLM.LG.3
			RAL7035	√	√	X	x	8P.PLM.MG.3

HOSE for BIEN AIR MC2 IR e ISOLITE 300 MICROMOTORS

NOT Swivel Connection





For MC2 IR Metal body and metal nut

For MC2 IR Plastic body and metal nut

For ISOLITE 300 Metal body and metal nut

For ISOLITE 300 Plastic body and metal nut



With two adapter for dual use: MC2 IR e ISOLITE 300

HOSE for BIEN AIR MC2 IR e ISOLITE 300 MICROMOTORS

NOT Swivel Connection

Compatibility: all dental units installing free ends hoses

Bien Air MC2 IR	Bien Air ISOLITE 300	Type of nut	Sheath color	L.				Reference
√	X	BODY: METAL NUT: METAL	RAL9002 (White)	L. 1600 mm	X	X	X	B5.STD.LG.1
			RAL7035 (Middle grey)					B5.STD.MG.1
			RAL7038 (Italian grey)					B5.STD.GR.1
			SURF ADEC (Brown)					B5.STD.BR.1
			BLACK					B5.STD.BL.1
√	X	BODY: PLASTIC NUT: METAL	RAL9002 (White)		X	X	X	B5.STD.LG.E
			RAL7035 (Middle grey)					B5.STD.MG.E
			RAL7038 (Italian grey)					B5.STD.GR.E
			SURF ADEC (Brown)					B5.STD.BR.E
			BLACK					B5.STD.BL.E
X	√	BODY: METAL NUT: METAL	RAL9002 (White)		√	X	X	B7.STD.LG.1
			RAL7035 (Middle grey)					B7.STD.MG.1
			RAL7038 (Italian grey)					B7.STD.GR.1
			SURF ADEC (Brown)					B7.STD.BR.1
			BLACK					B7.STD.BL.1
X	√	BODY: PLASTIC NUT: METAL	RAL9002 (White)		√	X	X	B7.STD.LG.E
			RAL7035 (Middle grey)					B7.STD.MG.E
			RAL7038 (Italian grey)					B7.STD.GR.E
			SURF ADEC (Brown)					B7.STD.BR.E
			BLACK					B7.STD.BL.E
√	√	BODY: METAL NUT: METAL + ADAPTERS	RAL9002 (White)		√	X	X	B3.STD.LG.1
			RAL7035 (Middle grey)					B3.STD.MG.1
			RAL7038 (Italian grey)					B3.STD.GR.1
			SURF ADEC (Brown)					B3.STD.BR.1
			BLACK					B3.STD.BL.1

For swivel 400 ° version see pag 27

For version with waterspray adjustment see pag 27

For Special lengths

In the reference, change STD with the required length (in cm)

ES. B7.**200**.GR.1, grey Hose for ISOLITE 300, metal boby and nut, sheath length **2,0** meters

Please notice that a return/taking back for BR color or BL color is not possible.
Thank you for your understanding

HOSE for BIEN AIR MC2 IR e ISOLITE 300 MICROMOTORS

WITH Swivel Connection and Waterspray adjustment



Without waterspray adjustment

With two adapter for dual use:
MC2 IR e ISOLITE 300

With waterspray adjustment

HOSE for BIEN AIR MC2 IR e ISOLITE 300 MICROMOTORS

WITH Swivel Connection and Waterspray adjustment

Compatibility: all dental units installing free ends hoses

Bien Air MC2 IR	Bien Air ISOLITE 300	Type of nut	Sheath color	L.				Reference
X	√	BODY: METAL NUT: METAL	RAL9002 (White)	L. 1600 mm	√	X	√	B2.STD.LG.1
			RAL7035 (Middle grey)					B2.STD.MG.1
			RAL7038 (Italian grey)					B2.STD.GR.1
			SURF ADEC (Brown)					B2.STD.BR.1
			BLACK					B5.STD.BL.1
√	√	BODY: METAL NUT: METAL + ADAPTERS	RAL9002 (White)		√	X	√	B4.STD.LG.1
			RAL7035 (Middle grey)					B4.STD.MG.1
			RAL7038 (Italian grey)					B4.STD.GR.1
			SURF ADEC (Brown)					B4.STD.BR.1
			BLACK					B4.STD.BL.1
X	√	BODY: METAL NUT: METAL	RAL9002 (White)		√	√	√	BR.STD.LG.1
			RAL7035 (Middle grey)					BR.STD.MG.1
			RAL7038 (Italian grey)					BR.STD.GR.1
			SURF ADEC (Brown)					BR.STD.BR.1
			BLACK					BR.STD.BL.1
√	X	BODY: PLASTIC NUT: METAL	RAL9002 (White)		√	√	√	BR.STD.LG.2
			RAL7035 (Middle grey)					BR.STD.MG.2
			RAL7038 (Italian grey)					BR.STD.GR.2
			SURF ADEC (Brown)					BR.STD.BR.2
			BLACK					BR.STD.BL.2
√	√	BODY: METAL NUT: METAL + ADAPTERS	RAL9002 (White)		√	√	√	BR.STD.LG.3
			RAL7035 (Middle grey)					BR.STD.MG.3
			RAL7038 (Italian grey)					BR.STD.GR.3
			SURF ADEC (Brown)					BR.STD.BR.3
			BLACK					BR.STD.BL.3

For not swivel 400 ° version see pag 25

For version without waterspray adjustment see pag 25

For Special lengths

In the reference, change STD with the required length (in cm)

ES. B2.**200**.GR.1, grey Hose for ISOLITE 300, metal boby and nut, sheath length **2,0** meters

Please notice that a return/taking back for BR color or BL color is not possible.
Thank you for your understanding

HOSE for Bien Air MC2 IR e ISOLITE 300 MICROMOTORS

Suitable for Kavo dental units

	Total Length	Suitable for unit	FOR Bien Air MC2 IR	FOR Bien Air ISOLITE 300	💡	💧	🔄	Sheath color	Reference
KAVO Dental Excellence	L.1250 mm	1057-1060	√	X	X	X	X	RAL 9002	B5.SKV.LG.1
								RAL7035	B5.SKV.MG.1
		1058, 1062, 1063, 1065, 1066, 1080	√	X	X	X	X	RAL9002	B5.SKV.LG.2
								RAL7035	B5.SKV.MG.2
		1057-1060	X	√	√	X	X	RAL9002	B7.SKV.LG.1
								RAL7035	B7.SKV.MG.1
		1058, 1062, 1063, 1065, 1066, 1080	X	√	√	X	X	RAL9002	B7.SKV.LG.2
								RAL7035	B7.SKV.MG.2
		1057-1060	X	√	√	X	√	RAL9002	B2.SKV.LG.1
								RAL7035	B2.SKV.MG.1
		1058, 1062, 1063, 1065, 1066, 1080	X	√	√	X	√	RAL9002	B2.SKV.LG.2
								RAL7035	B2.SKV.MG.2
		1057-1060	√	√	√	X	X	RAL9002	B3.SKV.LG.1
								RAL7035	B3.SKV.MG.1
		1058, 1062, 1063, 1065, 1066, 1080	√	√	√	X	X	RAL9002	B3.SKV.LG.2
								RAL7035	B3.SKV.MG.2
		1057-1060	√	√	√	√	√	RAL9002	BR.SKV.LG.1
								RAL7035	BR.SKV.MG.1
		1058, 1062, 1063, 1065, 1066, 1080	√	√	√	√	√	RAL9002	BR.SKV.LG.2
								RAL7035	BR.SKV.MG.2
	LONGER VERSION L.1400 mm	Add "L" at the end of the reference. In exemple: B7.SKV.LG.1L (hose for ISOLITE 300 motor, without waterspray adjustment, color RAL 9002, Length: 1400 mm)							

HOSE for Bien Air MC2 IR e ISOLITE 300 MICROMOTORS

Suitable for Anthos, Stern Weber, Castellini dental units

Compatibile con			Per Bien Air MC2 IR	Per Bien Air ISOLITE 300				Lungh. Totale	Codice
anthos	A3, A5, A7, A6, A7, A9, L6, L9, R7	VERSIONE SPRIDO (a braccetti)	√	X	X	X	X	1240 mm	B5.SCF.GR.1
STERN WEBER	S200, S250, S280TRc,S300, S380TRc, 320TR, S220TR, S320TR	VERSIONE INTERNATIONAL (Cordoni pendenti)						1400 mm	B5.SCF.GR.1L
CASTELLINI	Skema 5, 6, 8								
anthos	A3, A5, A7, A6, A7, A9, L6, L9, R7	VERSIONE SPRIDO (a braccetti)	X	√	√	X	X	1240 mm	B7.SCF.GR.1
STERN WEBER	S200, S250, S280TRc,S300, S380TRc, 320TR, S220TR, S320TR	VERSIONE INTERNATIONAL (Cordoni pendenti)						1400 mm	B7.SCF.GR.1L
CASTELLINI	Skema 5, 6, 8								
anthos	A3, A5, A7, A6, A7, A9, L6, L9, R7	VERSIONE SPRIDO (a braccetti)	X	√	√	X	√	1240 mm	B2.SCF.GR.1
STERN WEBER	S200, S250, S280TRc,S300, S380TRc, 320TR, S220TR, S320TR	VERSIONE INTERNATIONAL (Cordoni pendenti)						1400 mm	B2.SCF.GR.1L
CASTELLINI	Skema 5, 6, 8								
anthos	A3, A5, A7, A6, A7, A9, L6, L9, R7	VERSIONE SPRIDO (a braccetti)	√	√	√	X	X	1240 mm	B3.SCF.GR.1
STERN WEBER	S200, S250, S280TRc,S300, S380TRc, 320TR, S220TR, S320TR	VERSIONE INTERNATIONAL (Cordoni pendenti)						1400 mm	B3.SCF.GR.1L
CASTELLINI	Skema 5, 6, 8								

Altri colori disponibili: LG RAL 9002 e MG RAL7035
Si prega di notare che per I colori LG RAL9002 e MG RAL7035 non è possibile sostituzione e/o reso

HOSE for Bien Air MC2 IR e ISOLITE 300 MICROMOTORS

Suitable for Sirona dental units

	Total Length	Suitable for unit	FOR Bien Air MC2 IR	FOR Bien Air ISOLITE 300				Sheath color	Reference
sirona	1370 mm	A1, A2, A4, A5, AC, C1, C1+, C2, C2+, C4, M1 , C8, C8+	√	X	X	X	X	RAL 9002	B5.SSR.LG.1
								RAL7035	B5.SSR.MG.1
	1030 mm	C3, C3+, C6, E3	√	X	X	X	X	RAL9002	B5.SSR.LG.2
								RAL7035	B5.SSR.MG.2
	1370 mm	A1, A2, A4, A5, AC, C1, C1+, C2, C2+, C4, M1 , C8, C8+	X	√	√	X	X	RAL9002	B7.SSR.LG.1
								RAL7035	B7.SSR.MG.1
	1030 mm	C3, C3+, C6, E3	X	√	√	X	X	RAL9002	B7.SSR.LG.2
								RAL7035	B7.SSR.MG.2
	1370 mm	A1, A2, A4, A5, AC, C1, C1+, C2, C2+, C4, M1 , C8, C8+	X	√	√	X	√	RAL9002	B2.SSR.LG.1
								RAL7035	B2.SSR.MG.1
	1030 mm	C3, C3+, C6, E3	X	√	√	X	√	RAL9002	B2.SSR.LG.2
								RAL7035	B2.SSR.MG.2
	1370 mm	A1, A2, A4, A5, AC, C1, C1+, C2, C2+, C4, M1 , C8, C8+	√	√	√	X	X	RAL9002	B3.SSR.LG.1
								RAL7035	B3.SSR.MG.1
	1030 mm	C3, C3+, C6, E3	√	√	√	X	X	RAL9002	B3.SSR.LG.2
								RAL7035	B3.SSR.MG.2
	1370 mm	A1, A2, A4, A5, AC, C1, C1+, C2, C2+, C4, M1 , C8, C8+	√	√	√	√	√	RAL9002	BR.SSR.LG.1
								RAL7035	BR.SSR.MG.1
	1030 mm	C3, C3+, C6, E3	√	√	√	√	√	RAL9002	BR.SSR.LG.2
								RAL7035	BR.SSR.MG.2

HOSE for Bien Air MC2 IR e ISOLITE 300 MICROMOTORS

Suitable for Planmeca dental units

	Total length	Suitable for	Colore Guaina	For Bien Air MC2 IR	For Bien Air ISOLITE 300				Codice
PLANMECA	L. 1030 mm	2600282-2	RAL9002	√	X	X	X	X	B5.PLM.LG.1
			RAL7035	√	X	X	X	X	B5.PLM.MG.1
	L. 1030 mm	2600282-2	RAL9002	X	√	√	X	X	B7.PLM.LG.1
			RAL7035	X	√	√	X	X	B7.PLM.MG.1
	L. 1030 mm	2600282-2	RAL9002	X	√	√	X	√	B2.PLM.LG.1
			RAL7035	X	√	√	X	X	B2.PLM.MG.1
	L. 1030 mm	2600282-2	RAL9002	√	√	√	X	X	B3.PLM.LG.1
			RAL7035	√	√	√	X	x	B3.PLM.MG.1
	L. 1550 mm	Dental unit with hanging hose	RAL9002	√	√	√	X	X	B3.PLM.LG.2
			RAL7035	√	√	√	X	x	B3.PLM.MG.2

HOSE for BIEN AIR MCX MICROMOTOR



Silicone sheath, outer diameter: 10 mm

Compatibility: all dental units installing free ends hoses					
Sheath color	**Sheath length**	💡	💧	🔄	**Reference**
RAL9002 White	1600 mm	√	X	X	B1.STD.LG.1
RAL7035 Middle Grey					B1.STD.MG.1
RAL7038 Italian Grey					B1.STD.GR.1
SURF ADEC Brown					B1.STD.BR.1
BLACK					B1.STD.BL.1
RAL9002 White		√	X	√	B1.STD.LG.S
RAL7035 Middle Grey					B1.STD.MG.S
RAL7038 Italian Grey					B1.STD.GR.S
SURF ADEC Brown					B1.STD.BR.S
BLACK					B1.STD.BL.S

For Special lengths: In the ref, change STD with the required length (in cm)
- ES. B1.**200**.GR.1, ES. B1.**200**.GR.1, grey Hose, Sheath length 2 meters

Please notice that a return/taking back for BR color or BL color is not possible.
Thank you for your understanding

HOSE for CHIRANA MEDICAL P2ED 460 MICROMOTOR

Silicone sheath, outer diameter: 10mm

Compatibility: all dental units installing free ends hoses

Sheath color	Sheath length				Reference
RAL9002 Nearly White	1600 mm	√	X	X	C1.STD.LG.1
RAL7035 Middle Grey					C1.STD.MG.1
RAL7038 Italian Grey					C1.STD.GR.1
SURF ADEC Brown					C1.STD.BR.1
BLACK					C1.STD.BL.1

For Special lengths:
In the reference, change STD with the required length (in cm)

ES. C1.**200**.GR.1, grey Hose, Sheath length 2 meters

Please notice that a return/taking back for BR color or BL color is not possible.
Thank you for your understanding

HOSE for NSK TIM40 (EL400) MICROMOTOR

Silicone sheath, outer diameter: 10mm

Compatibility: all dental units installing free ends hoses

Sheath color	Sheath length	💡	💧	🔄	Reference
RAL9002 Nearly White	1600 mm	√	X	X	N1.STD.LG.1
RAL7035 Middle Grey					N1.STD.MG.1
RAL7038 Italian Grey					N1.STD.GR.1
SURF ADEC Brown					N1.STD.BR.1
BLACK					N1.STD.BL.1

For Special lengths:
In the reference, change STD with the required length (in cm)

ES. N1.**200**.GR.1, grey Hose, Sheath length 2 meters

Please notice that a return/taking back for BR color or BL color is not possible.
Thank you for your understanding

HOSE for NSK NBX (CDB 01260122) MICROMOTOR

Silicone sheath, outer diameter: 9mm

Compatibility: all dental units installing free ends hoses

Sheath color	Sheath length					Reference
RAL9002 Nearly White	1600 mm	X	√	X	X	N3.STD.LG.1
RAL7038 Italian Grey						N3.STD.GR.1
RAL9002 Nearly White	1600 mm	√	√	X	X	N3.STD.LG.E
RAL7038 Italian Grey						N3.STD.GR.E

For Special lengths:
In the reference, change STD with the required length (in cm)

ES. N3.**200**.GR.1, grey Hose, Sheath length 2 meters

With integrated LED protection system

HOSE for KAVO K190 -K196-K200, CHIRANA MEDICAL CH660 L and MK DENT EM1190K MICROMOTORS

Silicone sheath, outer diameter: 10mm

Compatibility: all dental units installing free ends hoses

Type of nut	Sheath color	L.				Reference
SILVER ALUMINIUM	RAL9002 (White)	L. 1600 mm	√	X	X	K1.STD.LG.1
	RAL7035 (Middle grey)					K1.STD.MG.1
	RAL7038 (Italian grey)					K1.STD.GR.1
	SURF ADEC (Brown)					K1.STD.BR.1
	BLACK					K1.STD.BL.1
BLACK ALUMINIUM	RAL9002 (White)		√	X	X	K1.STD.LG.2
	RAL7035 (Middle grey)					K1.STD.MG.2
	RAL7038 (Italian grey)					K1.STD.GR.2
	SURF ADEC (Brown)					K1.STD.BR.2
	BLACK					K1.STD.BL.2
SILVER ALUMINIUM	RAL9002 (White)		√	X	√	K2.STD.LG.1
	RAL7035 (Middle grey)					K2.STD.MG.1
	RAL7038 (Italian grey)					K2.STD.GR.1
	SURF ADEC (Brown)					K2.STD.BR.1
	BLACK					K2.STD.BL.1
BLACK ALUMINIUM	RAL9002 (White)		√	X	√	K2.STD.LG.2
	RAL7035 (Middle grey)					K2.STD.MG.2
	RAL7038 (Italian grey)					K2.STD.GR.2
	SURF ADEC (Brown)					K2.STD.BR.2
	BLACK					K2.STD.BL.2
SILVER ALUMINIUM + BLACK TAP	RAL9002 (White)		√	√	√	K1.STD.LG.R
	RAL7035 (Middle grey)					K1.STD.MG.R
	RAL7038 (Italian grey)					K1.STD.GR.R
	SURF ADEC (Brown)					K1.STD.BR.R
	BLACK					K1.STD.BL.R

For Special lengths

In the reference, change STD with the required length (in cm)

ES. K1.**200**.GR.1, grey hose, silver aluminium nut, sheath length **2** meters

Please notice that a return/taking back for BR color or BL color is not possible.
Thank you for your understanding

HOSE for KAVO K190 -K196-K200, CHIRANA MEDICAL CH660 L and MK DENT EM1190K MICROMOTORS

Suitable for Kavo dental units

	Total Length	Suitable for unit	Type of nut	💡	💧	🔄	Sheath color	Reference
KAVO Dental Excellence	L. 1250 mm	1057-1060	SILVER ALUMINIUM	√	X	X	RAL 9002	K7.SKV.LG.1
							RAL7035	K7.SKV.MG.1
		1058, 1062, 1063, 1065, 1066, 1080	SILVER ALUMINIUM	√	X	X	RAL9002	K1.SKV.LG.1
							RAL7035	K1.SKV.MG.1
		1057-1060	BLACK ALUMINIUM	√	X	X	RAL9002	K7.SKV.LG.2
							RAL7035	K7.SKV.MG.2
		1058, 1062, 1063, 1065, 1066, 1080	BLACK ALUMINIUM	√	X	X	RAL9002	K1.SKV.LG.2
							RAL7035	K1.SKV.MG.2
		1058, 1062, 1063, 1065, 1066, 1080	SILVER ALUMINIUM	√	X	√	RAL9002	K2.SKV.LG.1
							RAL7035	K2.SKV.MG.1
		1058, 1062, 1063, 1065, 1066, 1080	BLACK ALUMINIUM	√	X	√	RAL9002	K2.SKV.LG.2
							RAL7035	K2.SKV.MG.2
		1057-1060	SILVER ALUMINIUM + BLACK TAP	√	√	√	RAL9002	K7.SKV.LG.R
							RAL7035	K7.SKV.MG.R
		1058, 1062, 1063, 1065, 1066, 1080	SILVER ALUMINIUM + BLACK TAP	√	√	√	RAL9002	K1.SKV.LG.R
							RAL7035	K1.SKV.MG.R
	LONGER VERSION L.1400 mm	**Add "L" at the end of the reference. In exemple: B7.SKV.LG.1L (hose for ISOLITE 300 motor, without waterspray adjustment, color RAL 9002, Length: 1400 mm)**						

HOSE for KAVO K190 -K196-K200, CHIRANA MEDICAL CH660 L and MK DENT EM1190K MICROMOTORS

Suitable for Sirona dental units

	Total Length	Suitable for unit	Type of Nut				Sheath color	Reference
sirona	1370 mm	A1, A2, A4, A5, AC, C1, C1+, C2, C2+, C4, M1 , C8, C8+	SILVER ALUMINIUM	√	X	X	RAL 9002	K1.SSR.LG.1
							RAL7035	K1.SSR.MG.1
	1030 mm	C3, C3+, C6, E3	SILVER ALUMINIUM	√	X	X	RAL9002	K1.SSR.LG.2
							RAL7035	K1.SSR.MG.2
	1370 mm	A1, A2, A4, A5, AC, C1, C1+, C2, C2+, C4, M1 , C8, C8+	BLACK ALUMINIUM	√	X	X	RAL9002	K1.SSR.LG.3
							RAL7035	K1.SSR.MG.3
	1030 mm	C3, C3+, C6, E3	BLACK ALUMINIUM	√	X	X	RAL9002	K1.SSR.LG.4
							RAL7035	K1.SSR.MG.4
	1370 mm	A1, A2, A4, A5, AC, C1, C1+, C2, C2+, C4, M1 , C8, C8+	SILVER ALUMINIUM	√	X	√	RAL9002	K2.SSR.LG.1
							RAL7035	K2.SSR.MG.1
	1030 mm	C3, C3+, C6, E3	SILVER ALUMINIUM	√	X	√	RAL9002	K2.SSR.LG.2
							RAL7035	K2.SSR.MG.2
	1370 mm	A1, A2, A4, A5, AC, C1, C1+, C2, C2+, C4, M1 , C8, C8+	BLACK ALUMINIUM	√	X	√	RAL9002	K2.SSR.LG.3
							RAL7035	K2.SSR.MG.3
	1030 mm	C3, C3+, C6, E3	BLACK ALUMINIUM	√	X	√	RAL9002	K2.SSR.LG.4
							RAL7035	K2.SSR.MG.4
	1370 mm	A1, A2, A4, A5, AC, C1, C1+, C2, C2+, C4, M1 , C8, C8+	SILVER ALUMINIUM+ BLACK TAP	√	√	√	RAL9002	K1.SSR.LG.R
							RAL7035	K1.SSR.MG.R
	1030 mm	C3, C3+, C6, E3	SILVER ALUMINIUM+ BLACK TAP	√	√	√	RAL9002	K2.SSR.LG.R2
							RAL7035	K2.SSR.MG.R2

HOSE for KAVO K190 -K196-K200, CHIRANA MEDICAL CH660 L and MK DENT EM1190K MICROMOTORS

Suitable for Planmeca dental units

	Total length	Similar to	Sheath color				Reference
PLANMECA	L. 1010 mm	10007954-4	RAL9002	√	X	X	K1.PLM.LG.1
			RAL7035	√	X	X	K1.PLM.MG.1
	L. 1000 mm	Without resistor	RAL9002	√	X	X	K1.PLM.LG.2
			RAL7035	√	X	X	K1.PLM.MG.2
	L. 1000 mm	J2600281-4	RAL9002	√	X	X	K1.PLM.LG.3
			RAL7035	√	X	X	K1.PLM.MG.3
	L. 1560 mm	10007953-4 hanging hose	RAL9002	√	X	X	K1.PLM.LG.4
			RAL7035	√	X	x	K1.PLM.MG.4
	L. 930 mm	2600201-4	RAL9002	√	X	X	K1.PLM.LG.5
			RAL7035	√	X	x	K1.PLM.MG.5
	L. 1010 mm	10007954-4	RAL9002	√	X	√	K2.PLM.LG.1
			RAL7035	√	X	√	K2.PLM.MG.1
	L. 1000 mm	J2600281-4	RAL9002	√	X	√	K1.PLM.LG.3
			RAL7035	√	X	√	K1.PLM.MG.3

HOSE for KAVO K192-K201 MICROMOTOR



Silicone sheath, outer diameter: 10mm

Compatibility: all dental units installing free ends hoses

Type of nut	Sheath color	L.	💡	💧	🔄	Reference
BLACK ALUMINIUM	RAL9002 (White)	L. 1600 mm	√	X	√	K7.STD.LG.1
	RAL7035 (Middle grey)					K7.STD.MG.1
	RAL7038 (Italian grey)					K7.STD.GR.1
	SURF ADEC (Brown)					K7.STD.BR.1
	BLACK					K7.STD.BL.1
BLACK ALUMINIUM	RAL9002 (White)		√	√	√	K8.STD.LG.1
	RAL7035 (Middle grey)					K8.STD.MG.1
	RAL7038 (Italian grey)					K8.STD.GR.1
	SURF ADEC (Brown)					K8.STD.BR.1
	BLACK					K8.STD.BL.1

For Special lengths

In the reference, change STD with the required length (in cm)

ES. K7.**200**.GR.1, grey hose, silver aluminium nut, sheath length **2** meters

Please notice that a return/taking back for BR color or BL color is not possible.
Thank you for your understanding

HOSE for KAVO K192-K201 MICROMOTOR

Suitable for riuniti Kavo dental units

	Total Length	Suitable for unit	Type of nut	💡	💧	🔄	Sheath color	Reference
KAVO Dental Excellence	L.1250 mm	1057-1060	BLACK ALUMINIUM	√	X	√	RAL 9002	K5.SKV.LG.2
							RAL7035	K5.SKV.MG.2
		1063, 1065, 1066, 1080	BLACK ALUMINIUM	√	X	√	RAL9002	K5.SKV.LG.1
							RAL7035	K5.SKV.MG.1
		1057-1060	BLACK ALUMINIUM	√	√	√	RAL9002	K6.SKV.LG.1
							RAL7035	K6.SKV.MG.1
		1063, 1065, 1066, 1080	BLACK ALUMINIUM	√	√	√	RAL9002	K6.SKV.LG.2
							RAL7035	K6.SKV.MG.2
	LONGER VERSION L.1400 mm	Add "L" at the end of the reference. In ex.: K6.SKV.LG.1L (hose K192 for unit 1057-1060, with waterspray adjustment, color RAL 9002, Length: 1400 mm)						

HOSE for KAVO KL700 SERIES MICROMOTORS (KL700-KL701-KL702-KL703)



Silicone sheath, outer diameter: 10mm

Compatibility: all dental units installing free ends hoses						
Type of nut	**Sheath color**	**L.**	💡	💧	🔄	**Reference**
SILVER ALUMINIUM	RAL9002 (White)	L. 1600 mm	√	√	√	K9.STD.LG.1
	RAL7035 (Middle grey)					K9.STD.MG.1
	RAL7038 (Italian grey)					K9.STD.GR.1
	SURF ADEC (Brown)					K9.STD.BR.1
	BLACK					K9.STD.BL.1

For Special lengths
In the reference, change STD with the required length (in cm)
ES. K9.**200**.GR.1, grey hose, silver aluminium nut, sheath length **2** meters
Please notice that a return/taking back for BR color or BL color is not possible. Thank you for your understanding

HOSE for KAVO KL700 SERIES MICROMOTORS (KL700-KL701-KL702-KL703)

Suitable for Kavo dental units

	Total Length	Suitable for unit	Type of nut				Sheath color	Reference
KAVO Dental Excellence	L.1250 mm	1058, 1062, 1063, 1065, 1066, 1078, 1080	SILVER ALUMINIUM	√	√	√	RAL 9002	K9.SKV.LG.1
							RAL7035	K9.SKV.MG.1
		E30S, E30T, E50S, E50S, 1058 life S	SILVER ALUMINIUM **withou reed contact**	√	√	√	RAL9002	K9.SKV.LG.2
							RAL7035	K9.SKV.MG.2
		1057-1060	SILVER ALUMINIUM	√	√	√	RAL9002	K9.SKV.LG.3
							RAL7035	K9.SKV.MG.3
	L.1300 mm	E50T, E70T, E80T, 1058 life T	SILVER ALUMINIUM **with reed contact**	√	√	√	RAL9002	K9.SKV.LG.4
							RAL7035	K9.SKV.MG.4
	LONGER VERSION L.1400 mm	**Add "L" at the end of the reference. In ex.: K9.SKV.LG.1L (hose 700 for unit 1058, with waterspray adjustment, color RAL 9002, Length: 1400 mm)**						

HOSE for SIRONA SL and SL D+ MICROMOTOR



Without waterspray regulator – SL

With integrated waterspray regulator and Led bulb– SL D+

Compatibility: all dental units installing free ends hoses						
Connector	**Colore guaina**	**L.**	💡	💧	🔄	**Codice**
WITHOUT INTEGRATED WATER REGULATOR (IT MUST BE RE-USED FROM OLD HOSE)	RAL9002 (White)	L. 1600 mm	√	X	X	A1.STD.LG.1
	RAL7035 (Middle grey)					A1.STD.MG.1
	RAL7038 (Italian grey)					A1.STD.GR.1
	SURF ADEC (Brown)					A1.STD.BR.1
	BLACK					A1.STD.BL.1
WITH INTEGRATED WATER REGULATOR AND LED BULB	RAL9002 (White)		√	√	X	A1.STD.LG.R
	RAL7035 (Middle grey)					A1.STD.MG.R
	RAL7038 (Italian grey)					A1.STD.GR.R
	SURF ADEC (Brown)					A1.STD.BR.R
	BLACK					A1.STD.BL.R

For Special lengths
In the reference, change STD with the required length (in cm)
ES. A1.**200**.GR.1, grey hose, sheath length **2** meters
Please notice that a return/taking back for BR color or BL color is not possible. Thank you for your understanding

HOSE for SIRONA SL and SL D+ MICROMOTOR

Suitable for Kavo dental units

Without waterspray regulator – SL

With integrated waterspray regulator and Led bulb– SL D+

	Total Length	Suitable for unit	Type of nut	💡	💧	🔄	Sheath color	Reference
KAVO Dental Excellence	L. 1250 mm	1057, 1060	WITHOUT INTEGRATED WATER REGULATOR (IT MUST BE RE-USED FROM OLD HOSE)	√	X	X	RAL 9002	A1.SKV.LG.1
							RAL7035	A1.SKV.MG.1
		1058, 1062, 1063, 1065, 1066, 1078, 1080		√	X	X	RAL9002	A1.SKV.LG.2
							RAL7035	A1.SKV.MG.2
	L. 1250 mm	1057, 1060	WITH INTEGRATED WATER REGULATOR AND LED BULB	√	√	X	RAL 9002	A1.SKV.LG.1R
							RAL7035	A1.SKV.MG.1R
		1058, 1062, 1063, 1065, 1066, 1078, 1080		√	√	X	RAL9002	A1.SKV.LG.2R
							RAL7035	A1.SKV.MG.2R
	LONGER VERSION L.1400 mm	**Add "L" at the end of the reference. In ex.: A1.SKV.LG.1L (hose for unit 1060, color RAL 9002, Length: 1400 mm)**						

HOSE for SIRONA SL and SL D+ MICROMOTOR

Suitable for Sirona dental units

Without waterspray regulator – SL

With integrated waterspray regulator and Led bulb– SL D+

	Total Length	Suitable for	Connector				Sheath Color	Reference
sirona	1370 mm	A1, A2, A4, A5, AC, C1, C1+, C2, C2+, C4, M1 , C8, C8+	WITHOUT INTEGRATED WATER REGULATOR (IT MUST BE RE-USED FROM OLD HOSE)	√	X	X	RAL 9002	A1.SSR.LG.1
							RAL7035	A1.SSR.MG.1
	1030 mm	C3, C3+, C6, E3		√	X	X	RAL9002	A1.SSR.LG.2
							RAL7035	A1.SSR.MG.2
	1370 mm	A1, A2, A4, A5, AC, C1, C1+, C2, C2+, C4, M1 , C8, C8+	WITH INTEGRATED WATER REGULATOR AND LED BULB	√	√	X	RAL 9002	A1.SSR.LG.R
							RAL7035	A1.SSR.MG.R
	1030 mm	C3, C3+, C6, E3		√	√	X	RAL9002	A1.SSR.LG.R2
							RAL7035	A1.SSR.MG.R2

HOSE for SIRONA SL and SL D+ MICROMOTOR

Suitable for Planmeca dental units

Without waterspray regulator – SL

With integrated waterspray regulator and Led bulb– SL D+

PLANMECA

Connector	Total Length	Suitable for	Sheath color	💡	💧	🔄	Reference
WITHOUT INTEGRATED WATER REGULATOR (IT MUST BE RE-USED FROM OLD HOSE	L. 1000 mm	200 Ω	RAL9002	√	X	X	A1.PLM.LG.1
			RAL7035	√	X	X	A1.PLM.MG.1
WITH INTEGRATED WATER REGULATOR AND LED BULB	L. 1000 mm	200 Ω	RAL9002	√	√	X	A1.PLM.LG.R
			RAL7035	√	√	X	A1.PLM.MG.R

HOSE for SIRONA BL ISO C – Apex MICROMOTOR (Green connector)

With waterspray adjustment

Without waterspray adjustment

Silicone sheath,
Outer diameter: 10mm

Compatibility: all dental units installing free ends hoses

Motor connector (color)	Sheath Color	L.	💡	💧	🔄	Reference
BL ISO C (GREEN)	RAL9002 (White)	L. 1600 mm	√	√	√	AV.STD.LG.1
	RAL7035 (Middle grey)					AV.STD.MG.1
	RAL7038 (Italian grey)					AV.STD.GR.1
	SURF ADEC (Brown)					AV.STD.BR.1
	BLACK					AV.STD.BL.1
	RAL9002 (White)		√	X	X	AV.STD.LG.2
	RAL7035 (Middle grey)					AV.STD.MG.2
	RAL7038 (Italian grey)					AV.STD.GR.2
	SURF ADEC (Brown)					AV.STD.BR.2
	BLACK					AV.STD.BL.2

For Special lengths

In the reference, change STD with the required length (in cm)

ES. AV.**200**.GR.1, grey hose, sheath length **2** meters

Please notice that a return/taking back for BR color or BL color is not possible.
Thank you for your understanding

HOSE for SIRONA BL ISO C – Apex MICROMOTOR (Green connector)

Suitable for Sirona dental units

Without waterspray adjustment

With waterspray adjustment

	Total length	Suitable for	Motor Connector (color)	💡	💧	🔄	Sheath Color	Reference
sirona	1370 mm	TENEO, SINIUS, INTEGO, INTEGO PRO	**BL ISO C (GREEN)**	√	√	√	RAL 9002	AV.SSR.LG.1
							RAL7035	AV.SSR.MG.1
				√	X	X	RAL9002	AV.SSR.LG.2
							RAL7035	AV.SSR.MG.2

HOSE for SIRONA BL - Apex MICROMOTOR (Blu connector)

With waterspray adjustment

Silicone sheath,
outer diameter: 10mm

Without waterspray adjustment

Compatibility: all dental units installing free ends hoses

Motor connector (color)	Sheath Color	L.	💡	💧	🔄	Reference
BL (BLU)	RAL9002 (White)	L. 1600 mm	√	√	√	AB.STD.LG.1
	RAL7035 (Middle grey)					AB.STD.MG.1
	RAL7038 (Italian grey)					AB.STD.GR.1
	SURF ADEC (Brown)					AB.STD.BR.1
	BLACK					AB.STD.BL.1
	RAL9002 (White)		√	X	X	AB.STD.LG.2
	RAL7035 (Middle grey)					AB.STD.MG.2
	RAL7038 (Italian grey)					AB.STD.GR.2
	SURF ADEC (Brown)					AB.STD.BR.2
	BLACK					AB.STD.BL.2

For Special lengths

In the reference, change STD with the required length (in cm)

ES. AB.**200**.GR.1, grey hose, sheath length **2** meters

Please notice that a return/taking back for BR color or BL color is not possible.
Thank you for your understanding

HOSE for SIRONA BL - Apex MICROMOTOR (Blu connector)

Suitable for Sirona dental units

With waterspray adjustment

Without waterspray adjustment

	Total length	Suitable for	Motor connector (color)				Sheath color	Reference
sirona	1370 mm	TENEO, SINIUS	BL (BLU)	√	√	√	RAL 9002	AB.SSR.LG.1
							RAL7035	AB.SSR.MG.1
				√	X	X	RAL9002	AB.SSR.LG.2
							RAL7035	AB.SSR.MG.2

HOSE for SIRONA BL ISO - Apex MICROMOTOR (Black connector)

With waterspray adjustment

Silicone sheath,
outer diameter: 10mm

Without waterspray adjustment

Compatibility: all dental units installing free ends hoses						
Motor connector (color)	**Sheath Color**	**L.**	💡	💧	🔄	**Reference**
BL ISO (BLACK)	RAL9002 (White)	L. 1600 mm	√	√	√	AN.STD.LG.1
	RAL7035 (Middle grey)					AN.STD.MG.1
	RAL7038 (Italian grey)					AN.STD.GR.1
	SURF ADEC (Brown)					AN.STD.BR.1
	BLACK					AN.STD.BL.1
	RAL9002 (White)		√	X	X	AN.STD.LG.2
	RAL7035 (Middle grey)					AN.STD.MG.2
	RAL7038 (Italian grey)					AN.STD.GR.2
	SURF ADEC (Brown)					AN.STD.BR.2
	BLACK					AN.STD.BL.2

For Special lengths
In the reference, change STD with the required length (in cm)
ES. AN.**200**.GR.1, grey hose, sheath length **2** meters
Please notice that a return/taking back for BR color or BL color is not possible. Thank you for your understanding

HOSE for SIRONA BL ISO - Apex MICROMOTOR (Black connector)

Suitable for Sirona dental units

With waterspray adjustment

Without waterspray adjustment

	Total Length	Suitable for	Motor connector type				Sheath color	Reference
sirona	1370 mm	TENEO, SINIUS	BL ISO (BLACK)	√	√	√	RAL 9002	AN.SSR.LG.1
							RAL7035	AN.SSR.MG.1
				√	X	X	RAL9002	AN.SSR.LG.2
							RAL7035	AN.SSR.MG.2

HOSE for DENSIM DX MICROMOTOR



Silicone sheath, outer diameter: 10mm

Compatibility: all dental units installing free ends hoses						
Motor connector (color)	**Sheath Color**	**L.**	💡	💧	🔄	**Reference**
DENSIM DX (GREY)	RAL9002 (White)	L. 1600 mm	√	X	X	AG.STD.LG.1
	RAL7035 (Middle grey)					AG.STD.MG.1
	RAL7038 (Italian grey)					AG.STD.GR.1
	SURF ADEC (Brown)					AG.STD.BR.1
	BLACK					AG.STD.BL.1

For Special lengths
In the reference, change STD with the required length (in cm)
ES. AN.**200**.GR.1, grey hose, sheath length **2** meters
Please notice that a return/taking back for BR color or BL color is not possible. Thank you for your understanding

HOSE for MICROMOTORS:
Stern Weber iXS4 - Anthos iMMs - Castellini Implantor LED

Black connector – production before 2015

White connector – production as from 2015

Compatibility: all dental units installing free ends hoses

Motor connector (color)	Sheath Color	L.	💡	💧	🔄	Reference
(BLACK) (before July 2015)	RAL9002 (White)	L. 1600 mm	√	X	X	D1.STD.LG.1
	RAL7035 (Middle grey)					D1.STD.MG.1
	RAL7038 (Italian grey)					D1.STD.GR.1
	RAL9002 (White)		√	X	√	D1.STD.LG.S
	RAL7035 (Middle grey)					D1.STD.MG.S
	RAL7038 (Italian grey)					D1.STD.GR.S
(WHITE) (After July 2015)	RAL9002 (White)		√	X	X	D4.STD.LG.1
	RAL7035 (Middle grey)					D4.STD.MG.1
	RAL7038 (Italian grey)					D4.STD.GR.1

For Special lengths
In the reference, change STD with the required length (in cm)
ES. D1.**200**.GR.1, grey hose, sheath length **2** meters
Please notice that a return/taking back for LG color is not possible. Thank you for your understanding

HOSE for MICROMOTORS:
Stern Weber iXS4 - Anthos iMMs - Castellini Implantor LED

Suitable for Stern Weber, Anthos, Castellini dental units

Suitable for			Motor connector (Color/year)	💡	💧	🔄	Total Length	Reference
anthos	A3, A5, A7, A6, A7, A9, L6, L9, R7	CONTINENTAL VERSION (hose from the top)	(BLACK) (before July 2015)	√	X	X	1240 mm	D1.SCF.GR.1
STERN WEBER	S200, S250, S280TRc,S300, S380TRc, 320TR, S220TR, S320TR	INTERNATIONAL VERSION (hanging hose)					1400 mm	D1.SCF.GR.1L
CASTELLINI	Skema 5, 6, 8							
anthos	A3, A5, A7, A6, A7, A9, L6, L9, R7	CONTINENTAL VERSION (hose from the top)	(BLACK) (before July 2015)	√	X	√	1240 mm	D1.SCF.GR.S
STERN WEBER	S200, S250, S280TRc,S300, S380TRc, 320TR, S220TR, S320TR	INTERNATIONAL VERSION (hanging hose)					1400 mm	D1.SCF.GR.SL
CASTELLINI	Skema 5, 6, 8							
anthos	A3, A5, A7, A6, A7, A9, L6, L9, R7	CONTINENTAL VERSION (hose from the top)	(WHITE) (After July 2015)	√	X	X	1240 mm	D4.SCF.GR.1
STERN WEBER	S200, S250, S280TRc,S300, S380TRc, 320TR, S220TR, S320TR	INTERNATIONAL VERSION (hanging hose)					1400 mm	D4.SCF.GR.1L
CASTELLINI	Skema 5, 6, 8							

Other available colors: LG RAL 9002 and MG RAL7035
Please notice that a return/taking back for LG or MG is not possible. Thank you for your understanding

HOSE for MICROMOTORS:
Stern Weber iXR3L - Anthos iMMr - Castellini HANDY POWER

Silicone sheath, outer diameter: 10mm

Compatibility: all dental units installing free ends hoses						
Motor connector (color)	**Sheath Color**	**L.**	💡	💧	🔄	**Reference**
BLACK	RAL9002 (White)	L. 1600 mm	√	X	X	D2.STD.LG.1
	RAL7035 (Middle grey)					D2.STD.MG.1
	RAL7038 (Italian grey)					D2.STD.GR.1
	RAL9002 (White)		√	X	√	D2.STD.LG.S
	RAL7035 (Middle grey)					D2.STD.MG.S
	RAL7038 (Italian grey)					D2.STD.GR.S

For Special lengths
In the reference, change STD with the required length (in cm)
ES. D2.**200**.GR.1, grey hose, sheath length **2** meters
Please notice that a return/taking back for LG color is not possible. Thank you for your understanding

HOSE for MICROMOTORS:
Stern Weber iXR3L - Anthos iMMr - Castellini HANDY POWER

Suitable for Stern Weber, Anthos, Castellini dental units

Suitable for			Motor connector (Color)	💡	💧	🔄	Total Length	Reference
anthos	A3, A5, A7, A6, A7, A9, L6, L9, R7	CONTINENTAL VERSION (hose from the top)	NERO	√	X	X	1240 mm	D2.SCF.GR.1
STERN WEBER	S200, S250, S280TRc,S300, S380TRc, 320TR, S220TR, S320TR	INTERNATIONAL VERSION (hanging hose)					1400 mm	D2.SCF.GR.1L
CASTELLINI	Skema 5, 6, 8							
anthos	A3, A5, A7, A6, A7, A9, L6, L9, R7	CONTINENTAL VERSION (hose from the top)	NERO	√	X	√	1240 mm	D2.SCF.GR.S
STERN WEBER	S200, S250, S280TRc,S300, S380TRc, 320TR, S220TR, S320TR	INTERNATIONAL VERSION (hanging hose)					1400 mm	D2.SCF.GR.SL
CASTELLINI	Skema 5, 6, 8							

Other available colors: LG RAL 9002 and MG RAL7035

Please notice that a return/taking back for LG or MG is not possible.
Thank you for your understanding

HOSE for EMS PIEZON with no light SCALER (EN-041, EN-046, EM-028, EM-060)

Compatibility: all devices installing free ends hoses

External diameter	Sheath Color	L.				Reference
7 mm (recommended for dental units)	RAL9002 (White)	L. 1600 mm	X	X	X	E1.STD.LG.1
	RAL7038 (Italian grey)					E1.STD.GR.1
	SURF ADEC (Brown)					E1.STD.BR.1
7 mm (recommended for bechtop units)	RAL9002 (White)	L. 2000 mm	X	X	X	E1.200.LG.1
	RAL7038 (Italian grey)					E1.200.GR.1
	SURF ADEC (Brown)					E1.200.BR.1
9 mm (recommended for dental units)	RAL9002 (White)	L. 1600 mm	X	X	X	E2.STD.LG.1
	RAL7038 (Italian grey)					E2.STD.GR.1
	SURF ADEC (Brown)					E2.STD.BR.1

Other lengths available from 2001 up to 2500 mm

In the reference, change STD with the required length (in cm)

ES. E1.**250**.GR.1, grey hose, external diameter 7mm, sheath length **2,50** meters

Compatibility: Benchtop unit with same connection on unit side and handpiece side

Similar to	Sheath Color	L.				Reference
EM-028 EM-060	RAL9002 (White)	L. 1600 mm	X	X	X	E1.DUO.LG.1
	RAL7038 (Italian grey)					E1.DUO.GR.1
	SURF ADEC (Brown)					E1.DUO.BR.1

HOSE for EMS PIEZON with no light SCALER (EN-041, EN-046)

Suitable for Kavo dental units



	Total Length	Suitable for unit	Outer diam.				Sheath color	Reference
KAVO Dental Excellence	L. 1250 mm	1057, 1058 1060, 1062, 1063, 1065, 1066, 1078, 1080	7 mm	X	X	X	RAL 9002	E1.SKV.LG.1
							RAL7038	E1.SKV.GR.1
			9 mm	X	X	X	RAL9002	E2.SKV.LG.1
							RAL7038	E2.SKV.GR.1
	LONGER VERSION L.1400 mm	Add "L" at the end of the reference. In ex.: E1.SKV.LG.1L (hose for unit 1060, color RAL 9002, Length: 1400 mm)						

HOSE for EMS PIEZON with no light SCALER (EN-041, EN-046)

Suitable for Anthos, Stern Weber, Castellini dental units

Compatibile con			Diametro Esterno guaina				Lungh. Totale	Codice
anthos	A3, A5, A7, A6, A7, A9, L6, L9, R7	CONTINENTAL VERSION (hose from the top)	7 mm	X	X	X	1240 mm	E1.SCF.GR.1
STERN WEBER	S200, S250, S280TRc,S300, S380TRc, 320TR, S220TR, S320TR	INTERNATIONAL VERSION (hanging hose)					1400 mm	E1.SCF.GR.1L
CASTELLINI	Skema 5, 6, 8							
anthos	A3, A5, A7, A6, A7, A9, L6, L9, R7	CONTINENTAL VERSION (hose from the top)	9 mm	X	X	X	1240 mm	E2.SCF.GR.1
STERN WEBER	S200, S250, S280TRc,S300, S380TRc, 320TR, S220TR, S320TR	INTERNATIONAL VERSION (hanging hose)					1400 mm	E2.SCF.GR.1L
CASTELLINI	Skema 5, 6, 8							

Other available colors: LG RAL 9002 and MG RAL7035

Please notice that a return/taking back for LG or MG is not possible.
Thank you for your understanding

HOSE for EMS PIEZON with no light SCALER (EN-041, EN-046)

Suitable for Planmeca dental units

	Total Length	Suitable for	Ext. diam.	Sheath Color				Reference
PLANMECA	L. 1030 mm	2900263-16	7 mm	RAL9002	X	X	X	E1.PLM.LG.1
				RAL7038	X	X	X	E1.PLM.GR.1
	L. 1030 mm	2900263-16	9 mm	RAL9002	X	X	X	E2.PLM.LG.1
				RAL7038	X	X	X	E2.PLM.GR.1
	L. 1530 mm	Hanging hose	7 mm	RAL9002	X	X	X	E1.PLM.LG.2
				RAL7038	X	X	X	E1.PLM.GR.2
	L. 1530 mm	Hanging hose	9 mm	RAL9002	X	X	X	E2.PLM.LG.2
				RAL7038	X	X	X	E2.PLM.GR.2
	L. 900 mm	For Old Prostyle unit	7 mm	RAL9002	X	X	X	E1.PLM.LG.3
				RAL7038	X	X	X	E1.PLM.GR.3
	L. 900 mm	For Old Prostyle unit	9 mm	RAL9002	X	X	X	E2.PLM.GR.3
				RAL70358	X	X	X	E2.PLM.GR.3

HOSE for EMS PIEZON with no light SCALER (EN-041, EN-046)

Suitable for Sirona dental units

	Total length	Suitable for	Ext. Diam.				Sheath Color	Reference
sirona	1370 mm	INTEGO, C8, C8+	7 mm	X	X	X	RAL 9002	E1.SSR.LG.1
							RAL7035	E1.SSR.GR.1
			9 mm	X	X	X	RAL9002	E2.SSR.LG.1
							RAL7035	E2.SSR.GR.1
	1370 mm	A1, A2, A4, A5, AC, C1, C1+, C2, C2+, C4, M1	7 mm	X	X	X	RAL 9002	E1.SSR.LG.2
							RAL7035	E1.SSR.GR.2
			9 mm	X	X	X	RAL9002	E2.SSR.LG.2
							RAL7035	E2.SSR.GR.2
	1370 mm	TENEO, SINIUS	7 mm	X	X	X	RAL 9002	E1.SSR.LG.3
							RAL7035	E1.SSR.GR.3
			9 mm	X	X	X	RAL9002	E2.SSR.LG.3
							RAL7035	E2.SSR.GR.3
	1030 mm	C3, C3+, C6, E3	7 mm	X	X	X	RAL 9002	E1.SSR.LG.4
							RAL7035	E1.SSR.GR.4
			9 mm	X	X	X	RAL9002	E2.SSR.LG.4
							RAL7035	E2.SSR.GR.4

HOSE for EMS PIEZON LED with light SCALER (EN-060, EN-061)



Silicone Sheath,
Outer diameter (OD) : 7mm or 9mm

Compatibility: all devices installing free ends hoses

External diameter	Sheath Color	L.				Reference
7 mm (recommended for dental units)	RAL9002 (White)	L. 1600 mm	√	X	X	E5.STD.LG.1
	RAL7038 (Italian grey)					E5.STD.GR.1
	SURF ADEC (Brown)					E5.STD.BR.1
7 mm (recommended for dental units)	RAL9002 (White)	L. 1600 mm	√	√	X	E5.STD.LG.R
	RAL7038 (Italian grey)					E5.STD.GR.R
	SURF ADEC (Brown)					E5.STD.BR.R
7 mm (recommended for bechtop units)	RAL9002 (White)	L. 2000 mm	√	X	X	E5.200.LG.1
	RAL7038 (Italian grey)					E5.200.GR.1
	SURF ADEC (Brown)					E5.200.BR.1
7 mm (recommended for bechtop units)	RAL9002 (White)	L. 2000 mm	√	√	X	E5.200.LG.R
	RAL7038 (Italian grey)					E5.200.GR.R
	SURF ADEC (Brown)					E5.200.BR.R
9 mm (recommended for dental units)	RAL9002 (White)	L. 1600 mm	√	X	X	E6.STD.LG.1
	RAL7038 (Italian grey)					E6.STD.GR.1
	SURF ADEC (Brown)					E6.STD.BR.1
9 mm (recommended for dental units)	RAL9002 (White)	L. 1600 mm	√	√	X	E6.STD.LG.R
	RAL7038 (Italian grey)					E6.STD.GR.R
	SURF ADEC (Brown)					E6.STD.BR.R

Other lengths available from 2001 up to 2500 mm

In the reference, change STD with the required length (in cm)

ES. E5.**250**.GR.1, grey hose, external diameter 7mm, sheath length **2,50** meters

HOSE for EMS PIEZON LED with light SCALER (EN-060, EN-061)

Suitable for Kavo dental units

	Total Length	Suitable for unit	Outer diam.	💡	💧	🔄	Sheath color	Reference
KAVO Dental Excellence	L. 1250 mm	1057, 1058 1060, 1062, 1063, 1065, 1066, 1078, 1080	7 mm	√	X	X	RAL 9002	E5.SKV.LG.1
							RAL7038	E5.SKV.GR.1
			9 mm	√	X	X	RAL9002	E6.SKV.LG.1
							RAL7038	E6.SKV.GR.1
		1057, 1058 1060, 1062, 1063, 1065, 1066, 1078, 1080	7 mm	√	√	X	RAL 9002	E5.SKV.LG.R
							RAL7038	E5.SKV.GR.R
			9 mm	√	√	X	RAL9002	E6.SKV.LG.R
							RAL7038	E6.SKV.GR.R
		E30S, E30T, E50S, E70S	7 mm	√	√	X	RAL 9002	E5.SKV.LG.RE
							RAL7038	E5.SKV.GR.RE
			9 mm	√	√	X	RAL9002	E6.SKV.LG.RE
							RAL7038	E6.SKV.GR.RE
	LONGER VERSION L.1400 mm	Add "L" at the end of the reference. In ex.: E5.SKV.LG.1L (hose for unit 1060, color RAL 9002, Length: 1400 mm)						

HOSE for EMS PIEZON LED with light SCALER (EN-060, EN-061)

Suitable for Anthos, Stern Weber, Castellini dental units

Compatibile con			Diametro Esterno guaina				Lungh. Totale	Codice
anthos	A3, A5, A7, A6, A7, A9, L6, L9, R7	CONTINENTAL VERSION (hose from the top)	7 mm	√	X	X	1240 mm	E5.SCF.GR.1
STERN WEBER	S200, S250, S280TRc,S300, S380TRc, 320TR, S220TR, S320TR							
		INTERNATIONAL VERSION (hanging hose)					1400 mm	E5.SCF.GR.1L
CASTELLINI	Skema 5, 6, 8							
anthos	A3, A5, A7, A6, A7, A9, L6, L9, R7	CONTINENTAL VERSION (hose from the top)	9 mm	√	X	X	1240 mm	E6.SCF.GR.1
STERN WEBER	S200, S250, S280TRc,S300, S380TRc, 320TR, S220TR, S320TR							
		INTERNATIONAL VERSION (hanging hose)					1400 mm	E6.SCF.GR.1L
CASTELLINI	Skema 5, 6, 8							

Other available colors: LG RAL 9002 and MG RAL7035

Please notice that a return/taking back for LG or MG is not possible.
Thank you for your understanding

HOSE for EMS PIEZON LED with light SCALER (EN-060, EN-061)

Suitable for Planmeca dental units

	Total length	Similar to	Ext. Diam.	Sheath color	💡	💧	🔄	Reference
PLANMECA	L. 1030 mm	10026762-16	7 mm	RAL9002	√	X	X	E5.PLM.LG.1
				RAL7038	√	X	X	E5.PLM.GR.1
	L. 1030 mm	10026762-16	9 mm	RAL9002	√	X	X	E6.PLM.LG.1
				RAL7038	√	X	X	E6.PLM.GR.1
	L. 1530 mm	Hanging hose	7 mm	RAL9002	√	X	X	E5.PLM.LG.2
				RAL7038	√	X	X	E5.PLM.GR.2
	L. 1530 mm	Hanging hose	9 mm	RAL9002	√	X	X	E6.PLM.LG.2
				RAL7038	√	X	X	E6.PLM.GR.2

HOSE for EMS PIEZON LED with light SCALER (EN-060, EN-061)

Suitable for Sirona dental units

HOSE for EMS PIEZON LED with light SCALER (EN-060, EN-061)

Suitable for Sirona dental units

	Total length	Suitable for	Ext. Diam.				Sheath Color	Reference
sirona	1370 mm	INTEGO, C8, C8+	7 mm	√	X	X	RAL 9002	E5.SSR.LG.1
							RAL7038	E5.SSR.GR.1
			9 mm	√	X	X	RAL9002	E6.SSR.LG.1
							RAL7038	E6.SSR.GR.1
	1370 mm	INTEGO, C8, C8+	7 mm	√	√	X	RAL 9002	E5.SSR.LG.1R
							RAL7038	E5.SSR.GR.1R
			9 mm	√	√	X	RAL9002	E6.SSR.LG.1R
							RAL7038	E6.SSR.GR.1R
	1370 mm	A1, A2, A4, A5, AC, C1, C1+, C2, C2+, C4, M1	7 mm	√	X	X	RAL 9002	E5.SSR.LG.2
							RAL7038	E5.SSR.GR.2
			9 mm	√	X	X	RAL9002	E6.SSR.LG.2
							RAL7038	E6.SSR.GR.2
	1370 mm	A1, A2, A4, A5, AC, C1, C1+, C2, C2+, C4, M1	7 mm	√	√	X	RAL 9002	E5.SSR.LG.2R
							RAL7038	E5.SSR.GR.2R
			9 mm	√	√	X	RAL9002	E6.SSR.LG.2R
							RAL7038	E6.SSR.GR.2R
	1370 mm	TENEO, SINIUS	7 mm	√	X	X	RAL 9002	E5.SSR.LG.3
							RAL7038	E5.SSR.GR.3
			9 mm	√	X	X	RAL9002	E6.SSR.LG.3
							RAL7038	E6.SSR.GR.3
	1370 mm	TENEO, SINIUS	7 mm	√	√	X	RAL 9002	E5.SSR.LG.3R
							RAL7038	E5.SSR.GR.3R
			9 mm	√	√	X	RAL9002	E6.SSR.LG.3R
							RAL7038	E6.SSR.GR.3R
	1030 mm	C3, C3+, C6, E3	7 mm	√	X	X	RAL 9002	E5.SSR.LG.4
							RAL7038	E5.SSR.GR.4
			9 mm	√	X	X	RAL9002	E6.SSR.LG.4
							RAL7038	E6.SSR.GR.4
	1030 mm	C3, C3+, C6, E3	7 mm	√	√	X	RAL9002	E5.SSR.LG.4R
							RAL7038	E5.SSR.GR.4R
			9 mm	√	√	X	RAL9002	E6.SSR.LG.4R
							RAL7038	E6.SSR.GR.4R

HOSE for SATELEC / ACTEON NEWTRON SCALER with no light





Silicone sheath,
Outer diameter: 7 mm o 9 mm

Compatibility: all devices installing free ends hoses

External diameter	Sheath Color	L.				Reference
7 mm (recommended for dental units)	RAL9002 (White)	L. 1600 mm	X	X	X	S1.STD.LG.1
	RAL7038 (Italian grey)					S1.STD.GR.1
	SURF ADEC (Brown)					S1.STD.BR.1
7 mm (recommended for bechtop units)	RAL9002 (White)	L. 2000 mm	X	X	X	S1.200.LG.1
	RAL7038 (Italian grey)					S1.200.GR.1
	SURF ADEC (Brown)					S1.200.BR.1
9 mm (recommended for dental units)	RAL9002 (White)	L. 1600 mm	X	X	X	S2.STD.LG.1
	RAL7038 (Italian grey)					S2.STD.GR.1
	SURF ADEC (Brown)					S2.STD.BR.1

Other lengths available from 2001 up to 2500 mm

In the reference, change STD with the required length (in cm)

ES. E1.**250**.GR.1, grey hose, external diameter 7mm, sheath length **2,50** meters

HOSE for SATELEC / ACTEON NEWTRON SCALER with no light

Suitable for Kavo dental units

	Total Length	Suitable for unit	Outer diam.	💡	💧	🔄	Sheath color	Reference
KAVO Dental Excellence	L. 1250 mm	1057, 1058 1060, 1062, 1063, 1065, 1066, 1078, 1080	7 mm	X	X	X	RAL 9002	S1.SKV.LG.1
							RAL7038	S1.SKV.GR.1
			9 mm	X	X	X	RAL9002	S2.SKV.LG.1
							RAL7038	S2.SKV.GR.1
	LONGER VERSION L.1400 mm	Add "L" at the end of the reference. In ex.: S1.SKV.LG.1L (hose for unit 1060, color RAL 9002, Length: 1400 mm)						

HOSE for SATELEC / ACTEON NEWTRON SCALER with no light

Suitable for Anthos, Stern Weber, Castellini dental units

Suitable for			Outer diameter				Total length	Reference
anthos	A3, A5, A7, A6, A7, A9, L6, L9, R7	CONTINENTAL VERSION (hose from the top)	7 mm	X	X	X	1240 mm	S1.SCF.GR.1
STERN WEBER	S200, S250, S280TRc,S300, S380TRc, 320TR, S220TR, S320TR	INTERNATIONAL VERSION (hanging hose)					1400 mm	S1.SCF.GR.1L
CASTELLINI	Skema 5, 6, 8							
anthos	A3, A5, A7, A6, A7, A9, L6, L9, R7	CONTINENTAL VERSION (hose from the top)	9 mm	X	X	X	1240 mm	S2.SCF.GR.1
STERN WEBER	S200, S250, S280TRc,S300, S380TRc, 320TR, S220TR, S320TR	INTERNATIONAL VERSION (hanging hose)					1400 mm	S2.SCF.GR.1L
CASTELLINI	Skema 5, 6, 8							

Other available colors: LG RAL 9002 and MG RAL7035

Please notice that a return/taking back for LG or MG is not possible.
Thank you for your understanding

HOSE for SATELEC / ACTEON NEWTRON SCALER with no light

Suitable for Planmeca dental units

	Total Length	Suitable for	Ext. diam.	Sheath Color				Reference
PLANMECA	L. 1020 mm	2900267-15	7 mm	RAL9002	X	X	X	S1.PLM.LG.1
				RAL7038	X	X	X	S1.PLM.GR.1
	L. 1020 mm	2900267-15	9 mm	RAL9002	X	X	X	S2.PLM.LG.1
				RAL7038	X	X	X	S2.PLM.GR.1
	L. 1530 mm	Hanging hose	7 mm	RAL9002	X	X	X	S1.PLM.LG.2
				RAL7038	X	X	X	S1.PLM.GR.2
	L. 1530 mm	Hanging hose	9 mm	RAL9002	X	X	X	S2.PLM.LG.2
				RAL7038	X	X	X	S2.PLM.GR.2

HOSE for SATELEC / ACTEON NEWTRON LED SCALER with light







Silicone Sheath,
Outer diameter (OD) : 7mm o 9mm

Compatibility: all devices installing free ends hoses

External diameter	Sheath Color	L.				Reference
7 mm (recommended for dental units)	RAL9002 (White)	L. 1600 mm	√	X	X	S5.STD.LG.1
	RAL7038 (Italian grey)					S5.STD.GR.1
	SURF ADEC (Brown)					S5.STD.BR.1
7 mm (recommended for dental units)	RAL9002 (White)	L. 1600 mm	√	√	X	S5.STD.LG.R
	RAL7038 (Italian grey)					S5.STD.GR.R
	SURF ADEC (Brown)					S5.STD.BR.R
7 mm (recommended for bechtop units)	RAL9002 (White)	L. 2000 mm	√	X	X	S5.200.LG.1
	RAL7038 (Italian grey)					S5.200.GR.1
	SURF ADEC (Brown)					S5.200.BR.1
7 mm (recommended for bechtop units)	RAL9002 (White)	L. 2000 mm	√	√	X	S5.200.LG.R
	RAL7038 (Italian grey)					S5.200.GR.R
	SURF ADEC (Brown)					S5.200.BR.R
9 mm (recommended for dental units)	RAL9002 (White)	L. 1600 mm	√	X	X	S6.STD.LG.1
	RAL7038 (Italian grey)					S6.STD.GR.1
	SURF ADEC (Brown)					S6.STD.BR.1
9 mm (recommended for dental units)	RAL9002 (White)	L. 1600 mm	√	√	X	S6.STD.LG.R
	RAL7038 (Italian grey)					S6.STD.GR.R
	SURF ADEC (Brown)					S6.STD.BR.R

Other lengths available from 2001 up to 2500 mm

In the reference, change STD with the required length (in cm)

ES. S5.**250**.GR.1, grey hose, external diameter 7mm, sheath length **2,50** meters

HOSE for SATELEC / ACTEON NEWTRON LED SCALER with light

Suitable for Kavo dental units



	Total Length	Suitable for unit	Outer diam.	💡	💧	🔄	Sheath color	Reference
KAVO Dental Excellence	L. 1250 mm	1057, 1058 1060, 1062, 1063, 1065, 1066, 1078, 1080	7 mm	√	X	X	RAL 9002	S5.SKV.LG.1
							RAL7038	S5.SKV.GR.1
			9 mm	√	X	X	RAL9002	S6.SKV.LG.1
							RAL7038	S6.SKV.GR.1
			7 mm	√	√	X	RAL 9002	S5.SKV.LG.R
							RAL7038	S5.SKV.GR.R
			9 mm	√	√	X	RAL9002	S6.SKV.LG.R
							RAL7038	S6.SKV.GR.R
	LONGER VERSION L.1400 mm	**Add "L" at the end of the reference. In ex.: S1.SKV.LG.1L (hose for unit 1060, color RAL 9002, Length: 1400 mm)**						

HOSE for SATELEC / ACTEON NEWTRON LED SCALER with light

Suitable for Anthos, Stern Weber, Castellini dental units

Suitable for			Outer diameter				Total length	Reference
anthos	A3, A5, A7, A6, A7, A9, L6, L9, R7	CONTINENTAL VERSION (hose from the top)	7 mm	√	X	X	1240 mm	S5.SCF.GR.1
STERN WEBER	S200, S250, S280TRc,S300, S380TRc, 320TR, S220TR, S320TR							
		INTERNATIONAL VERSION (hanging hose)					1400 mm	S5.SCF.GR.1L
CASTELLINI	Skema 5, 6, 8							
anthos	A3, A5, A7, A6, A7, A9, L6, L9, R7	CONTINENTAL VERSION (hose from the top)	9 mm	√	X	X	1240 mm	S6.SCF.GR.1
STERN WEBER	S200, S250, S280TRc,S300, S380TRc, 320TR, S220TR, S320TR							
		INTERNATIONAL VERSION (hanging hose)					1400 mm	S5.SCF.GR.1L
CASTELLINI	Skema 5, 6, 8							

Other available colors: LG RAL 9002 and MG RAL7035

Please notice that a return/taking back for LG or MG is not possible.
Thank you for your understanding

HOSE for SATELEC / ACTEON NEWTRON LED SCALER with light

Suitable for Planmeca dental units

	Total Length	Suitable for	Ext. diam.	Sheath Color	💡	💧	🔄	Reference
PLANMECA	L. 1020 mm	10031294-16	7 mm	RAL9002	√	X	X	S5.PLM.LG.1
				RAL7038	√	X	X	S5.PLM.GR.1
	L. 1020 mm	10031294-16	9 mm	RAL9002	√	X	X	S6.PLM.LG.1
				RAL7038	√	X	X	S6.PLM.GR.1
	L. 1530 mm	Hanging hose	7 mm	RAL9002	√	X	X	S5.PLM.LG.2
				RAL7038	√	X	X	S5.PLM.GR.2
	L. 1530 mm	Hanging hose	9 mm	RAL9002	√	X	X	S6.PLM.LG.2
				RAL7038	√	X	X	S6.PLM.GR.2

HOSE for MECTRON SCALAR with no light

Compatibility: all devices installing free ends hoses

External diameter	Sheath Color	Nut	L.				Reference
7 mm (recommended for dental units)	RAL9002 (White)	Mectron	L. 1600 mm	X	X	X	M1.STD.LG.1
	RAL7038 (Italian grey)						M1.STD.GR.1
	SURF ADEC (Brown)						M1.STD.BR.1
	RAL9002 (White)	Bien Air	L. 1600 mm	X	X	X	M3.STD.LG.1
	RAL7038 (Italian grey)						M3.STD.GR.1
	SURF ADEC (Brown)						M3.STD.BR.1
7 mm (recommended for bechtop units)	RAL9002 (White)	Mectron	L. 2000 mm	X	X	X	M1.200.LG.1
	RAL7038 (Italian grey)						M1.200.GR.1
	SURF ADEC (Brown)						M1.200.BR.1
9 mm (recommended for dental units)	RAL9002 (White)	Mectron	L. 1600 mm	X	X	X	M2.STD.LG.1
	RAL7038 (Italian grey)						M2.STD.GR.1
	SURF ADEC (Brown)						M2.STD.BR.1
	RAL9002 (White)	Bien Air	L. 1600 mm	X	X	X	M4.STD.LG.1
	RAL7038 (Italian grey)						M4.STD.GR.1
	SURF ADEC (Brown)						M4.STD.BR.1

Other lengths available from 2001 up to 2500 mm

In the reference, change STD with the required length (in cm)

ES. M1.**250**.GR.1, grey hose, external diameter 7mm, sheath length **2,50** meters

HOSE for SCALERS:

Stern Weber SC-A2, SC-A3
Anthos u-PZ6, u-PZ7
Castellini Piezosteril 6, Piezolight 6



Silicone sheath, outer diameter 8 mm

Compatibility: all devices installing free ends hoses						
Compatibility	**Sheath Color**	**LENGTH**	💡	💧	🔄	**Reference**
SC-A2, uPZ6, Piezosteril 6	RAL9002 (White)	**L. 1600 mm**	X	X	X	F1.STD.LG.1
	RAL7038 (Italian grey)					F1.STD.GR.1
SC-A3, uPZ7, Piezolight 6	RAL9002 (White)		√	X	X	F1.STD.LG.2
	RAL7038 (Italian grey)					F1.STD.GR.2

Other lengths available up to 2500 mm
In the reference, change STD with the required length (in cm)
ES. F1.**200**.GR.1, grey hose, external diameter 8mm, sheath length **2,00** meters

HOSE for SCALERS:

Stern Weber SC-A2, SC-A3
Anthos u-PZ6, u-PZ7
Castellini Piezosteril 6, Piezolight 6

Suitable for Anthos, Stern Weber, Castellini dental units

Suitable for			Compatible				Total length	Reference
anthos	A3, A5, A7, A6, A7, A9, L6, L9, R7	CONTINENTAL VERSION (hose from the top)	SC-A2, uPZ6, Piezosteril 6	X	X	X	1240 mm	F1.SCF.GR.1
STERN WEBER	S200, S250, S280TRc,S300, S380TRc, 320TR, S220TR, S320TR							
CASTELLINI	Skema 5, 6, 8	INTERNATIONAL VERSION (hanging hose)					1400 mm	F1.SCF.GR.1L
anthos	A3, A5, A7, A6, A7, A9, L6, L9, R7	CONTINENTAL VERSION (hose from the top)	SC-A3, uPZ7, Piezolight 6	√	X	X	1240 mm	F1.SCF.GR.2
STERN WEBER	S200, S250, S280TRc,S300, S380TRc, 320TR, S220TR, S320TR							
CASTELLINI	Skema 5, 6, 8	INTERNATIONAL VERSION (hanging hose)					1400 mm	F1.SCF.GR.2L

Other available colors: LG RAL 9002

Please notice that a return/taking back for LG is not possible.
Thank you for your understanding

HOSE for LED LAMP MECTRON STARLIGHT S:

Silicone sheath, outer diameter: 7 mm or 9 mm

Compatibility: all devices installing free ends hoses						
External diameter	**Sheath Color**	**Length**				**Reference**
7 mm	RAL9002 (White)	**L. 1600 mm**	X	X	X	M5.STD.LG.1
	RAL7038 (Italian grey)					M5.STD.GR.1
	SURF ADEC (Brown)					M5.STD.BR.1
9 mm	RAL9002 (White)		X	X	X	M6.STD.LG.1
	RAL7038 (Italian grey)					M6.STD.GR.1
	SURF ADEC (Brown)					M6.STD.BR.1

Other lengths available from 2001 up to 2500 mm
In the reference, change STD with the required length (in cm)
ES. M5.**200**.GR.1, grey hose, external diameter 7mm, sheath length **2,00** meters

HOSE for LED LAMP MECTRON STARLIGHT S:

Suitable for Planmeca dental units

	Total Length	Suitable for	Ext. diam.	Sheath Color				Reference
PLANMECA	L. 980 mm	10007619-5	7 mm	RAL9002	X	X	X	M5.PLM.LG.1
				RAL7038	X	X	X	M5.PLM.GR.1
	L. 980 mm	10007619-5	9 mm	RAL9002	X	X	X	M6.PLM.LG.1
				RAL7038	X	X	X	M6.PLM.GR.1

3F/6F SYRINGES and HOSES for 3F SYRINGES:

Compatibility: all dental units installing free ends hoses

Type of syringe	Sheath Color	Length of the hose	Reference
Only Syringe silicone and inner tubing	RAL9002 (Bianco)	1600 mm	SYR.LG.1
	RAL7035 (Middle grey)		SYR.MG.1
	RAL7038 (Italian grey)		SYR.GR.1
	SURF ADEC (marrone)		SYR.BR.1
	NERO		SYR.BL.1
American Style Angled	RAL9002 (Bianco)	1600 mm	AMC.LG.1
	RAL7035 (Middle grey)		AMC.MG.1
	RAL7038 (Italian grey)		AMC.GR.1
	SURF ADEC (Marrone)		AMC.BR.1
	NERO		AMC.BL.1
American Style Straight	RAL9002 (Bianco)	1600 mm	AMC.LG.2
	RAL7035 (Middle grey)		AMC.MG.2
	RAL7038 (Italian grey)		AMC.GR.2
	SURF ADEC (Marrone)		AMC.BR.2
	NERO		AMC.BL.2
Luzzani Minimate 3F Straight	RAL9002 (Bianco)	1700 mm	L1.STD.SS.2
	RAL7035 (Middle grey)		L1.STD.SS.1
Luzzani Minimate 3F Angled	RAL9002 (Bianco)		L1.STD.AS.2
	RAL7035 (Middle grey)		L1.STD.AS.1
Luzzani Minilight 3F Straight	RAL9002 (Bianco)		L2.STD.SS.2
	RAL7035 (Middle grey)		L2.STD.SS.1
Luzzani Minilight 3F Angled	RAL9002 (Bianco)		L2.STD.AS.2
	RAL7035 (Middle grey)		L2.STD.AS.1
Luzzani Minilight 6F Straight	RAL9002 (Bianco)		L3.STDS.SS.2
Luzzani Minilight 6F Angled	RAL9002 (Bianco)		L3.STD.AS.2

3F SYRINGES and HOSES for 3F SYRINGES:

Suitable for Kavo dental units

	Length without syringe	Suitable for unit	Type of Syringe	Sheath color	Reference
KAVO Dental Excellence	L. 1250 mm	1057, 1058 1060, 1062, 1063, 1065, 1066, 1078, 1080, E30T, E30S	Only hose suitable for Original Kavo Syringe	RAL 9002	SY.SKV.LG.2
				RAL7035	SY.SKV.MG.2
			Luzzani Minimate 3F Straight	RAL9002	L1.SKV.SS.2
				RAL7035	L1.SKV.SS.1
			Luzzani Minimate 3F Angled	RAL 9002	L1.SKV.AS.2
				RAL7035	L1.SKV.AS.1
			Luzzani Minilight 3F Straight	RAL9002	L2.SKV.SS.2
				RAL7035	L2.SKV.SS.1
			Luzzani Minilight 3F Angled	RAL9002	L2.SKV.AS.2
				RAL7035	L2.SKV.AS.1
			American Style Straight	RAL9002	3F.SKD.LG.1
				RAL7035	3F.SKD.MG.1
			American Style Angled	RAL9002	3F.SKA.LG.1
				RAL7035	3F.SKA.MG.1
	L. 1600 mm		Open ends on syringe side. Including: air and water tubing, silicone sheath OD 10 mm, unit side connector . Syringe not provided	RAL9002	MS.SKV.LG.1
				RAL7035	MS.SKV.MG.1
	-		KIT FOR INSTALLATION OF 3F SYRINGES ON KAVO UNITS (Syringe and hose not included)	-	MS.DSY.0.1
	FOR E50 unit	Change ".1" with ".E" at the end of the reference. In ex.: L2.SKV.SS.E (Luzzani Minilight 3F for E50 unit)			
	LONGER VERSION	Add "L" at the end of the reference. In ex.: L1.SKV.SS.1L (hose for unit 1060, color RAL 9002, Length: 1400 mm) – FOR CART and ASSISTANT SIDE TABLE			

3F SYRINGES and HOSES for 3F SYRINGES:

Suitable for Anthos, Stern Weber, Castellini dental units

Suitable for	Length without syringe	Type of Syringe	Sheath color	Reference
A3, A5, A7, A6, A7, A9, L6, L9, R7 S200, S250, S280TRc, S300, S380TRc, 320TR, S220TR, S320TR	L.1150 mm	Luzzani Minimate 3F Straight	RAL7038	L1.SCF.SS.1
		Luzzani Minimate 3F Angled	RAL7038	L1.SCF.AS.1
		Luzzani Minilight 3F Straight	RAL7038	L2.SCF.SS.1
		Luzzani Minilight 3F Angled	RAL7038	L2.SCF.AS.1
		American Style Straight	RAL7038	3F.SCD.MG.1
		American Style Angled	RAL7038	3F.SCA.MG.1
	L.1600 mm	Open ends on syringe side. Including: air and water tubing, silicone sheath OD 10 mm, unit side connector. Syringe not provided	RAL7038	MS.SCF.GR.1
Skema 5, 6, 8	-	KIT FOR INSTALLATION OF 3F SYRINGES ON UNITS (Syringe and hose not included)	-	MS.DSY.0.2
	Other available colors: LG RAL 9002 Please notice that a return/taking back for LG is not possible. Thank you for your understanding			
	LONGER VERSION	Add "L" at the end of the reference. In ex.: L1.SCF.AS.1L Length: 1400 mm – FOR CART and ASSISTANT SIDE TABLE		

3F/6F SYRINGES and HOSES for 3F SYRINGES:

Suitable for Planmeca dental units

	Length without syringe	Similar to	Type of Syringe	Sheath color	Reference
PLANMECA	L. 950 mm	2600287-20 2600290-20	Luzzani Minimate 3F Straight	RAL9002	L1.PLM.SS.2
				RAL7035	L1.PLM.SS.1
			Luzzani Minimate 3F Angled	RAL 9002	L1.PLM.AS.2
				RAL7035	L1.PLM.AS.1
			Luzzani Minilight 3F Straight	RAL9002	L2.PLM.SS.2
				RAL7035	L2.PLM.SS.1
			Luzzani Minilight 3F Angled	RAL9002	L2.PLM.AS.2
				RAL7035	L2.PLM.AS.1
			Luzzani Minilight 6F Straight	RAL9002	L3.PLM.SS.2
			Luzzani Minilight 6F Angled	RAL9002	L3.PLM.AS.2
			American Style Straight	RAL9002	3F.PLD.LG.1
				RAL7035	3F.PLD.MG.1
			American Style Angled	RAL9002	3F.PLA.LG.1
				RAL7035	3F.PLA.MG.1
	L.1600 mm		Open ends on syringe side. Including: air and water tubing, silicone sheath OD 10 mm, unit side connector . Syringe not provided	RAL9002	MS.PLM.LG.1
				RAL7035	MS.PLM.MG.1
	-		KIT FOR INSTALLATION OF 3F SYRINGES ON UNITS (Syringe and hose not included)	-	MS.DSY.0.3
	LONGER VERSION	Add "L" at the end of the reference. In ex.: L1.PLM.AS.1L (color RAL 7035, Length: 1400 mm) – FOR CART and ASSISTANT SIDE TABLE			

3F SYRINGES and HOSES for 3F SYRINGES:

Suitable for Sirona dental units

	Length without syringe	Suitable for	Type of Syringe	Sheath color	Reference
sirona	L.1300 mm	C8, C8+, INTEGO, SINIUS, TENEO	Luzzani Minimate 3F Straight	RAL9002	L1.SSR.SS.2
				RAL7035	L1.SSR.SS.1
			Luzzani Minimate 3F Angled	RAL 9002	L1.SSR.AS.2
				RAL7035	L1.SSR.AS.1
			Luzzani Minilight 3F Straight	RAL9002	L2.SSR.SS.2
				RAL7035	L2.SSR.SS.1
			Luzzani Minilight 3F Angled	RAL9002	L2.SSR.AS.2
				RAL7035	L2.SSR.AS.1
			American Style Straight	RAL9002	3F.SSD.LG.1
				RAL7035	3F.SSD.MG.1
			American Style Angled	RAL9002	3F.SSA.LG.1
				RAL7035	3F.SSA.MG.1
	L.1600 mm		Open ends on syringe side. Including: air and water tubing, silicone sheath OD 10 mm, unit side connector . Syringe not provided	RAL9002	MS.SSR.LG.1
				RAL7035	MS.SSR.MG.1
	-		KIT FOR INSTALLATION OF 3F SYRINGES ON UNITS (Syringe and hose not included)	-	MS.DSY.0.4

3F SYRINGES and HOSES for 3F SYRINGES:

Suitable for Sirona dental units

	Length without syringe	Suitable for	Type of Syringe	Sheath color	Reference
sirona	L.1300 mm	C1, C1+, C2, C2+, C4, C4+	Luzzani Minimate 3F Straight	RAL9002	L1.SSR.SS.2C
				RAL7035	L1.SSR.SS.1C
			Luzzani Minimate 3F Angled	RAL 9002	L1.SSR.AS.2C
				RAL7035	L1.SSR.AS.1C
			Luzzani Minilight 3F Straight	RAL9002	L2.SSR.SS.2C
				RAL7035	L2.SSR.SS.1C
			Luzzani Minilight 3F Angled	RAL9002	L2.SSR.AS.2C
				RAL7035	L2.SSR.AS.1C
			American Style Straight	RAL9002	3F.SSD.LG.1C
				RAL7035	3F.SSD.MG.1C
			American Style Angled	RAL9002	3F.SSA.LG.1C
				RAL7035	3F.SSA.MG.1C
	L..940 mm	C3, C3+, C6, E3	For these model only available RAL7035. Change last digit of reference in ".3". Es L2.SSR.SS.3 – 3F Minilight Straight		
	L.1600 mm	C1, C1+, C2, C2+, C4, C4+, C3, C3+, C6, E3	Open ends on syringe side. Including: air and water tubing, silicone sheath OD 10 mm, unit side connector . Syringe not provided	RAL9002	MS.SSR.LG.1C
				RAL7035	MS.SSR.MG.1C
	-		KIT FOR INSTALLATION OF 3F SYRINGES ON UNITS (Syringe and hose not included)	-	MS.DSY.0.4C

SPARE PARTS for LUZZANI SYRINGES

	DESCRIPTION	Reference
	Tip for 3F Minimate e 3F Minilight syringe (cod. RL348G)	**LU01**
	Cone nut for tip 3F Minimate syringe (cod. RT223)	**LU02**
	Cone nut for tip 3F Minilight syringe (cod. RL441)	**LU03**
	Complete straight inox cover for 3F Minilight syringe (RL443C)	**LU04**
	Complete straight inox cover for 3F Minimate syringe (RT243C)	**LU05**
	Completo tap for 3F Minilight syringe (RL404C3)	**LU06**
	Completo tap for 3F Minimate syringe (RL202C)	**LU07**
	Complete angled inox cover for 3F Minilight syringe (RL451C)	**LU08**
	Complete angled inox cover for 3F Minimate syringe (RT251C)	**LU09**

INSIDE and OUTSIDE CORRUGATED SUCTION HOSE, EXTRAFLEXIBLE available diameters: Ø 11 mm e Ø 17 mm

ONLY HOSE, without HANDLES	Suitable for	Color	Int. Diam.	Packaging	Reference
	Anthos, Stern Weber Castellini, Cattani	RAL9002	11 mm	Per meter	AEX.LG.11
				Box 25 m	AEX.LG.11R
				Roll 100 m	AEX.LG.17S
			17 mm	Per meter	AEX.LG.11
				Box 25 m	AEX.LG.11R
				Roll 100 m	AEX.LG.17S

SUCTION HOSE with HANDLE	Suitable for	Color / Length	Int. Diam..	Reference
	Cattani	RAL9002 / L.1700 mm	11 mm	XCT.LG.11
	anthos, STERN WEBER, CASTELLINI			XSC.LG.11
	Cattani		17 mm	XCT.LG.11
	anthos, STERN WEBER, CASTELLINI			XSC.LG.11

SUCTION HOSES with DOUBLE WALLED SOFT PVC, REINFORCED WITH PVC HELIX INSIDE, INSIDE SMOOTH
Available in different diameters and for several dental units

ONLY HOSE WITHOUT HANDLES	Suitable for	Color	Int. Diam	Packaging	Reference
	Kava, Sirona	RAL9002	8 mm	L. 1700 mm	APV.LG.08
				Roll 10 m	APV.LG.08R
	Cattani, Cefla Group, Planmeca, Adec		10 mm	L. 1700 mm	APV.LG.10
				Roll 10 m	APV.LG.10R
	Cattani, Cefla Group, Planmeca, Adec, Eurodent		11 mm	L. 1700 mm	APV.LG.11
				Roll 10 m	APV.LG.11R
	Sirona, Eurodent		15 mm	L. 1700 mm	APV.LG.15
				Roll 10 m	APV.LG.15R
	Cattani, Adec		16 mm	L. 1700 mm	APV.LG.16
				Roll 10 m	APV.LG.16R
	Cattani, Planmeca, Cefla Group		17 mm	L. 1700 mm	APV.LG.17
				Roll 10 m	APV.LG.17R
	Kavo		20 mm	L. 1700 mm	APV.LG.20
				Roll 10 m	APV.LG.20R
	Others		22 mm	L. 1700 mm	APV.LG.22
				Roll 10 m	APV.LG.22R

Complete HOSE WITH HANDLES	Suitable for	Color	Int. Diam	Length	Reference
	Cattani	RAL9002	11 mm	L 1700 mm	PCT.LG.11
			17 mm		PCT.LG.17
	anthos, STERN WEBER, CASTELLINI		11 mm	L 1700 mm	PSC.LG.11
			17 mm		PSC.LG.11
	KAVO		8 mm	L 1700 mm	PKV.LG.08
			20 mm		PKV.LG.20
	PLANMECA		11 mm	L 1700 mm	PPL.LG.11
			17 mm		PPL.LG.17
	sirona		8 mm	L 1700 mm	PSR.LG.08
			15 mm		PSR.LG.15

SUCTION HANDLES for SUCTION HOSES, Available ''ONLY ADAPTER'' VERSION or ''COMPLETE with TERMINAL for SUCTION TIPS''

	Suitable for	For hose diameter	Pack.	Reference
	Cattani	11 mm or 10 mm	3 pcs	TER.GR.11
		17 mm	3 pcs	TER.GR.16
	orthos STERN WEBER CASTELLINI	11 mm	1 pcs	ASC.1T
		11 mm	1 pcs	ASC.1
		17 mm	1 pcs	ASC.2T
		17 mm	1 pcs	ASC.2
	KAVO	8 mm	1 pcs	AKV.1T
		8 mm	1 pcs	AKV.1
		20 mm	1 pcs	AKV.2T
		20 mm	1 pcs	AKV.2
	PLANMECA	11 mm	1 pcs	APL.1T
		11 mm	1 pcs	APL.1
		17 mm	1 pcs	APL.2T
		17 mm	1 pcs	APL.2
	sirona	8 mm	1 pcs	ASR.1T
		8 mm	1 pcs	ASR.1
		15 mm	1 pcs	ASR.2T
		15 mm	1 pcs	ASR.2

SILICONE SHEATH

Outer diameter	COLOR	Packaging	Reference
7 mm	RAL9002 (White)	roll 25 m	GU.D07.LG.1
	RAL7038 (Italian grey)		GU.D07.LG.1
	SURF ADEC (Brown)		GU.D07.LG.1
8 mm	RAL9002 (White)		GU.D08.LG.1
	RAL7038 (Italian grey)		GU.D08.GR.1
9 mm	RAL9002 (White)		GU.D09.LG.1
	RAL7038 (Italian grey)		GU.D09.GR.1
10 mm	RAL9002 (White)		GU.D10.LG.1
	RAL7035 (Middle grey)		GU.D10.MG.1
	RAL7038 (Italian grey)		GU.D10.GR.1
	SURF ADEC (Brown)		GU.D10.BR.1
	BLACK		GU.D10.NE.1
11 mm	RAL9002 (White)		GU.D10.LG.1
	RAL7035 (Middle grey)		GU.D10.MG.1
	RAL7038 (Italian grey)		GU.D10.GR.1
	SURF ADEC (Brown)		GU.D10.BR.1
	BLACK		GU.D10.NE.1

TUBING made of TPU SUITABLE for FOOD CONTACT APPLICATIONS.
Available for: WATERSPRAY, CHIP AIR, DRIVE AIR, EXHAUST AIR

Outer diameter	COLOR	For	Packaging	Reference
2,5 mm	Clear	Cooling air	Roll 30 m	TP.D25.CL.1
	Green	Waterspray		TP.D25.GR.1
	Blu	Chip air		TP.D25.BL.1
4 mm	Clear	Drive Air/ Cooling		TP.D40.CL.1
4,5 mm	Red	Exhaust air		TP.D45.CL.1

SPARE PARTS and ACCESSORIES for INSTRUMENT HOSE

	DESCRIZIONE	Codice
	Adapter from Bien Air MC3 micromotr hose to NSK M40 micromotor and turbine hose (for multipurpose hose 8P)	**CM021.F1.0**
	Adapter for MC2 IR micromotor hose (for "Dual use" hose B3)	**CM076.F1.0**
	Adapter for MC2 ISOLITE 300 micromotor hose (for "Dual use" hose B3)	**CM077.F1.0**
	Spare O-RING for K190/196/200 micromotor hose (set di 3 OR)	**ORK1**
	Spare O-RING for KL700 series micromotor hose (set di 3 OR)	**ORK9**
	Spare O-RING for SL micromotor hose (set di 3 OR)	**ORA1**
	6-HOLE Midwest F.O HANDPIECE GASKET	**GS6H**
	Tip for 3F American style syringes pack 2 pcs.	**AMC.3**

LED BULB for DENTAL INSTRUMENTS

Suitable for		Pack.	Reference
KAVO Dental Excellence	MICROMOTORS QUICK COUPLING	1 pc	LED.KV.1
		2 pcs	LED.KV.1b
BienAir	TURBINE	1 pc	LED.BA.1
		2 pcs	LED.BA.1b
	MICROMOTORS	1 pc	LED.BA.2
		2 pcs	LED.BA.2b
sirona	MICROMOTORS QUICK COUPLING	1 pc	LED.SR.1
		2 pcs	LED.SR.1b
NSK	QUICK COUPLING	1 pc	LED.NS.1
		2 pcs	LED.NS.1b
W&H	TURBINE	1 pc	LED.WH.1
		2 pcs	LED.EH.1b
	MICROMOTORS	1 pc	LED.WH.2
		2 pcs	LED.WH.2b

FEATURES	
COLOR	WHITE
COLOR TEMPERATURE	5500 K
LUMINOUS INTENSITY	90 lm
NOMINAL VOLTAGE	3,2 VDC
LIFE SPAN	> 2000 h
CURRENT	120 mA max

XENON BULB for DENTAL INSTRUMENTS

Suitable for		Pack.	Reference
KAVO Dental Excellence	MICROMOTORS QUICK COUPLING	2 pcs	XEN.KV.1
BienAir	TURBINE		XEN.BA.1
	MICROMOTORS		XEN.BA.1
sirona	MICROMOTORS QUICK COUPLING		XEN.SR.1
NSK	QUICK COUPLING		XEN.NS.1
W&H	TURBINE		XEN.WH.1

FEATURES	
COLOR	WHITE
COLOR TEMPERATURE	5500 K
LUMINOUS INTENSITY	90 lm
NOMINAL VOLTAGE	3,2 VDC
LIFE SPAN	> 1000 h
CURRENT	120 mA max